




Wiha – Top products for your success

What distinguishes good hand tools? One thing above all: their ability to make your job noticeably easier.

If they also protect your health, ensure your safety and meet the highest quality standards for a sustainable, long lifespan, we call them outstanding – or in short: Wiha hand tools.

We present to you our TOP sellers 2026 that have proven to be the best of the best in criteria such as user benefits, application options and flexibility, demand, potential for individual further development, level of innovation, or customer feedback. Use our products to guarantee your success – now!

The complete and comprehensive range of Wiha products can be found at www.wiha.com.





Wiha – Tools that work for you

- 85 years of German family tradition
- Wiha Quality for professional customers around the world
- Manufacturer of highest quality hand tools and solutions ensuring the success of users and trade partners
- Numerous national and international awards prove the company's claim to leadership in the industry.



Wiha - A company and its people. Today and in the future.

How do we define corporate success? We focus just as much on sustainable corporate and organizational development as we do on individual development, freedom, and further development of our employees, customers, and partners. At home in the heart of the Black Forest, the responsible dealing with nature comes naturally to Wiha. We consciously place this aim above the maximization of sales and profits.

Our corporate culture and all organizational processes and aims are founded on the central values of responsibility, respect, and integrity.

100
PIONEERS
IN EFFICIENT
RESOURCE
MANAGEMENT
BADEN-WÜRTTEMBERG

Wiha Werkzeuge GmbH
Schonach im Schwarzwald




Wiha as a partner for the future

- **Promotion of employees**
We support them in their further development and create best working conditions.
 - **Active exchange with users**
Through close contact and constructive exchange we can accomplish our goals together.
 - **Acting responsibly**
We live the principles of social responsibility and obligation to support our suppliers.
 - **Reliable partnership**
Our active and personal partner management with the specialist trade creates a trusting sense of togetherness and care for each other.
 - **Social commitment and cooperation**
Long-term partnerships with local educational and social institutions establish our place in the middle of society.
 - **Committed to sustainability**
Products with a long service life, resource-saving processes, goals for minimizing waste, energy use, and emissions are part of our holistic sustainability strategy.
-

Wiha design awards

Ergonomics, highly prized by all.



german
brand
award
19
winner



reddot winner 2019
best tools brand



IHK
Industrie- und Handelskammer
Südwestfalen-Rheinland

To us, positive feedback from people for whom we make our tools is the most rewarding confirmation of our work. All the same, we can also be more than a little proud when the high ergonomic quality of our products is confirmed at the "highest" level, as many of them have been distinguished with coveted design awards. In addition to this, our company and production quality were also honoured with awards. With this praise and confirmation from every direction, it's no wonder that Wiha are on the right track with ergonomic tool concepts and a future-oriented philosophy. To us, positive feedback from people for whom we make our tools is the most rewarding confirmation of our work. All the same, we can also be more than a little proud when the high ergonomic quality of our products is confirmed at the "highest" level, as many of them have been distinguished with coveted design awards. In addition to this, our company and production quality were also honoured with awards. With this praise and confirmation from every direction, it's no wonder that Wiha are on the right track with ergonomic tool concepts and a future-oriented philosophy.



FOCUS OPEN 2024
Special Mention





reddot winner 2023



Wiha tools with AGR approval

The world's first tools bearing the seal for efficient and health-friendly work



Testet und recommended by the forum: Gesunder Rücken - besser Leben e.V. and the Federal Association of German Back Schools (BdR). More information from: AGR e.V., Aktion Gesunder Rücken e.V., Stader Str. 6, D-27432 Bremervörde, Tel. +49 4761 926 358 0, www.agr-ev.de



Certified ergonomics:
The Wiha SoftFinish®
screwdrivers with their
handle size concept,
the electric screwdriver
speedE® I as well

as the tools case XXL4: It is aspiring to be the world's only hand tool manufacturer to have products honoured with the renowned AGR seal of approval. Very few everyday objects are able to pass the stringent tests of the AGR, whose seal enjoys broad acceptance by medical professionals for very good reason.


For many years, the AGR has been dedicated to promoting and researching the prevention of back pain. It also offers recommendations on products that help to prevent musculoskeletal disorders and back pain. For many years, the AGR has been dedicated to promoting and researching the prevention of back pain. It also offers recommendations on products that help to prevent musculoskeletal disorders and back pain.

Wiha has been acknowledged for its ergonomic screwdriver handle size concept, the speedE® II electric screwdriver and the tool case XXL 4. To us this recognition is a confirmation of our corporate philosophy – to develop tools enabling professionals not only to work efficiently, but also in a health-friendly way. Wiha's screwdriver handle size concept features four handle heights and lengths, each optimally adapted to its specific fastening





or work task to ensure health-friendly work practices. The speedE®II with its electric drive ensures that the joints and tendons are not strained during extensive repeated fastening jobs. On top of that, Wiha offers a tool case with many ergonomic advantages – the foldable legs ensure a raised and therefore more comfortable removal of the tools. In addition, work in low positions can be carried out while seated. Vice versa, work in high positions is also no problem thanks to the slip-proof step. The large case rollers additionally ensure that the case can be pulled easily across rough terrain and stairs. When carrying or stowing the case in a vehicle, the two-component handle on the left side ensures comfortable carrying close to the body. Finally, two gas-filled shock absorbers prevent uncontrolled closing of the case lid.



Wiha SoftFinish® handle sizes

Every Wiha handle optimally balances guidance, speed and torque for the respective fastening task.

Quick-turning - Motor skills are consistently taken into consideration.

Maximum power transmission, comfortable to use and without loss.



VDE-insulated tools from Wiha

To work safer, more efficiently and with less strain on the body.

Certified safety – from our own safety testing procedure according to IEC standards.



Voltage testing: All Wiha VDE-tools, which have special markings, are individually tested at 10,000 V AC and are approved for 1,000 V AC and 1,500 V DC.



Cold shock test: Cooling down to -25° C. The skinning material must retain its toughness, so that it doesn't break when subjected to shock and knocks.



Test of electrical skinning properties: 24 hours storage in water, then 3 minutes test at 10,000 V AC. There must neither be flashover nor disruptive discharge.



Test of the adhesion of the skinning material coating: 168 hours storage at 70° C, then test of adhesion at 500 N.



Pressure tests: Test at 20 N pressure load, 70° C temperature and 5,000 V AC test voltage. No disruptive discharge may occur.



Test of combustion behaviour: The tools are subjected to a flame for 10 seconds. The skinning material must then extinguish and not continue to burn.




As an internationally recognized institute, the VDE is responsible for the testing and certification of electrotechnical products. Wiha provides the professional with a broad range of VDE products, developed and continuously optimized specifically for electricians, which also provide application oriented solutions for everyday use.

The Wiha quality-management system according to ISO 9001:2015 ensures that only first-class products are manufactured – and that you can work with products of excellent quality. To ensure maximum safety for the user, the entire Wiha VDE range must undergo the most stringent inspections and individual tests. All Wiha VDE-tools hold multiple certifications: The VDE-GS mark stands for safety with regard to any risk, from electrical right up to radiological. Products labelled with a double triangle and a voltage range are suitable for work with live parts.

The international standard IEC 60900 defines the construction, safety as well as single, series, and random testing of insulated tools. But with Wiha you don't just work safer, but also healthier and more efficiently. Specially developed ergonomic geometries ensure comfortable handling that protects the body from strain. The result: easier work, less signs of fatigue, more efficiency.



Content





Ranges

Page 14



Electro

Page 38



Screwdrivers

Page 56




Torque

Page 70



Multitools

Page 78



L-keys

Page 88



Bits

Page 96



Mechanical Tools

Page 104



Pliers

Page 114



Striking and measuring tools

Page 128



General symbols

Page 134



The range.

Designed for those who work with it.



User experiences are incorporated into Wiha tools right from the product development stage. This resulted in high-quality tool sets that are produced for mechanics, electricians and electronics technicians which have been specifically assembled for different requirements. Neatly tucked away and clearly organised in robust, compact tool bags, tools are ready at hand, ensuring work is completed easily and efficiently. Wiha tools prove to be very handy, essential companions especially when stored in a tool case. The shortcomings of standard tool cases were amended – thanks to its practical tool inserts and extra storage space for small parts, the Wiha tool case provides simple, no-load tool transport. Even more comfort and every type of support for mobile applications is offered by the Wiha tool backpack, because for some tasks you need to have your hands free.

**"A case with all major
Wiha tools and innovations
- like Christmas for the
electrician!"**

Annika Burgbacher









80
pcs



80-pcs.

Order-No.



45734

1

Fastening / Jamming



Screwdriver and bit set slimVario® Mixed, 19-pcs. incl. folding bag (41231)
1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby / 1 x Screwdriver SoftFinish® slimVario® electric for slimBits / 1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm / 1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm / 1 x T9 x 75 mm / 1 x T10 x 75 mm / 1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm / 1 x 5.0 mm x 75 mm / 1 x Folding bag



Screwdriver set SoftFinish® electric slimFix Slotted, Phillips, PlusMinus/Pozidriv 6-pcs. (38362)
1 x 3.5 mm x 100 mm / 1 x 4.0 mm x 100 mm / 1 x 5.5 mm x 125 mm / 1 x PH1 x 80 mm / 1 x PH2 x 100 mm / 1 x SL/PZ2 x 100 mm



Screwdriver with bit magazine PocketMax® electric mixed with 4 slimBits (45296)
1 x 3.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x SL/PZ2 x 75 mm



Bit set XLSelector Standard 25 mm assorted 31-pcs. 1/4" C6,3 (29417)
1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm / 2 x PH1 / 4 x PH2 / 1 x PH3 / 2 x PZ1 / 5 x PZ2 / 1 x PZ3 / 2 x T10 / 2 x T15 / 2 x T20 / 3 x T25 / 2 x T30 / 1 x T40 / 1 x Bit holder magnetic 58 mm 1/4" / 1 x XLSelector



L-key set in ProStar holder Hexagonal ball end matt chrome-plated 9-pcs. (07185)
1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x ProStar holder

Surveying / marking / measuring / checking

Electrician's Longlife® folding ruler, 2 m metric, 10 segments 15 mm (42068)

Electrician's spirit level 40 cm (42074)

Voltage and continuity tester 12 - 1,000 V AC, CAT IV incl. 2x AAA batteries (45216)

Striking / chiselling

Electrician's hammer with 300 g hammer head 283 mm (42071)

Stripping / insulating / crimping

Stripping multi-tool for round cables 125 mm, 5" (44242)

Supplying / holding

Pliers set Industrial electric Combination pliers, needle nose pliers, diagonal cutters 3-pcs. (38637)
1 x 160 mm, 6 1/2" / 1 x 180 mm, 7" / 1 x 200 mm, 8"

Industrial electric cable cutter with switchable opening spring 210 mm, 8 1/4" (43663)

Storage



Tool Case XXL III empty (44129)

Insulated tools tested according to IEC 60900.

Tool Case XXL III



empty

Order-No.



44129

1

NEW



60
pcs



60 pcs.

Order-No.



45795

1

Fastening / Jamming

	Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.0 mm x 100 mm (35390) / 5.5 mm x 125 mm (35391)
	Screwdriver SoftFinish® electric slimFix Phillips PH1 x 80 mm (10136) / PH2 x 100 mm (35394)
	Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv SL/PZ2 x 100 mm (36330)
	Screwdriver with bit magazine PocketMax® electric mixed with 4 slimBits (45296) 1 x 3.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x SL/PZ2 x 75 mm
	L-key set in ProStar holder Hexagonal ball end matt chrome-plated 9-pcs. (07185) 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x ProStar holder
	Bit set XLSelector Standard 25 mm assorted 31-pcs. 1/4" C6,3 (29417) 1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm / 2 x PH1 / 4 x PH2 / 1 x PH3 / 2 x PZ1 / 5 x PZ2 / 1 x PZ3 / 2 x T10 / 2 x T15 / 2 x T20 / 3 x T25 / 2 x T30 / 1 x T40 / 1 x Bit holder magnetic 58 mm 1/4" / 1 x XLSelector

Supplying / holding

	Industrial electric combination pliers with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (33186)
	Industrial electric needle nose pliers with cutting edge straight shape 200 mm, 8" (33178)

Trimming / cutting

	Industrial electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43336)
--	--

Surveying / marking / measuring / checking

	Electrician's Longlife® folding ruler, 2 m metric, 10 segments 15 mm (42068)
	Electrician's spirit level 40 cm (42074)

Stripping / insulating / crimping

	Stripping multi-tool for round cables 125 mm, 5" (44242)
	Multifunctional pliers 8in1 Industrial electric with switchable opening spring (45705)
	Crimp tool automatic for wire-end sleeves hex crimping 0,08 - 16 mm² 210 mm (41246)

Storage

	Tool case XL 2 Trolley empty
--	------------------------------

Insulated tools tested according to IEC 60900.

NEW



41
pcs



41 pcs.

Order-No.



46816

1

Fastening / Jamming

	Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.0 mm x 100 mm (35390) / 5.5 mm x 125 mm (35391)
	Screwdriver SoftFinish® electric slimFix Phillips PH1 x 80 mm (10136) / PH2 x 100 mm (35394)
	Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv SL/PZ2 x 100 mm (36330)
	Screwdriver with bit magazine PocketMax® electric mixed with 4 slimBits (45296) 1 x 3.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x SL/PZ2 x 75 mm
	L-key set in ProStar holder Hexagonal ball end matt chrome-plated 9-pcs. (07185) 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x ProStar holder
	Bit set FlipSelector Standard 25 mm Phillips, Pozidriv, TORX®, 13-pcs., 1/4" C6,3 (39040) 2 x PH2 / 1 x PZ1 / 2 x PZ2 / 1 x PZ3 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40 / 1 x Bit holder magnetic 58 mm 1/4" / 1 x FlipSelector

Supplying / holding

	Industrial electric combination pliers with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (33186)
	Industrial electric needle nose pliers with cutting edge straight shape 200 mm, 8" (33178)

Trimming / cutting

	Industrial electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43336)
--	--

Surveying / marking / measuring / checking

	Electrician's Longlife® folding ruler, 2 m metric, 10 segments 15 mm (42068)
	Electrician's spirit level 40 cm (42074)

Stripping / insulating / crimping

	Stripping multi-tool for round cables 125 mm, 5" (44242)
	Multifunctional pliers 8in1 Industrial electric with switchable opening spring (45705)

Storage

	Tool case XL 2 empty
--	----------------------

Insulated tools tested according to IEC 60900.





81
pcs



81-pcs.

Order-No.

40523



1

Fastening / Jamming

	Screwdriver SoftFinish® electric Hex nut driver 5.5 mm x 125 mm (00856) / 7.0 mm x 125 mm (00858) / 8.0 mm x 125 mm (00859) / 10.0 mm x 125 mm (00861)
	Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.0 mm x 100 mm (35390) / 5.5 mm x 125 mm (35391) / 6.5 mm x 150 mm (10155)
	Screwdriver SoftFinish® electric slimFix PlusMinus/Phillips SL/PH1 x 80 mm (35502) / SL/PH2 x 100 mm (35503)
	Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv SL/PZ1 x 80 mm (36329) / SL/PZ2 x 100 mm (36330)
	Screwdriver SoftFinish® electric slimFix Phillips PH1 x 80 mm (10136) / PH2 x 100 mm (35394)
	Screwdriver SoftFinish® electric slimFix Pozidriv PZ1 x 80 mm (35395) / PZ2 x 100 mm (35396)
	Screwdriver SoftFinish® Slotted with one-piece hexagonal blade and solid steel cap 12.0 mm x 200 mm (03231)
	Switch cabinet key cross shape 7.0 mm- 9- 5 - 8- 3 - 5 (36114)
	Screwdriver with bit magazine LiftUp electric Phillips, PlusMinus/Pozidriv, slotted with 6 slimBits (38611) 1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm / 1 x 5.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x SL/PZ2 x 75 mm
	L-key set in Compact holder Hexagonal ball end matt chrome-plated 9-pcs. (01418) 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x Compact holder
	Bit set XLSelector Standard 25 mm assorted 31-pcs. 1/4" C6,3 (29417) 1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm / 2 x PH1 / 4 x PH2 / 1 x PH3 / 2 x PZ1 / 5 x PZ2 / 1 x PZ3 / 2 x T10 / 2 x T15 / 2 x T20 / 3 x T25 / 2 x T30 / 1 x T40 / 1 x Bit holder magnetic 58 mm 1/4" / 1 x XLSelector

Trimming / cutting

	High-performance diagonal cutters BiCut® Professional with DynamicJoint® Switchable 200 mm, 8" (38191)
	Precision mechanic's diagonal cutters Classic with opening spring 125 mm, 5" (36189)
	Professional electric diagonal cutters with DynamicJoint® 180 mm, 7" (43340)

Supplying / holding

	Water pump pliers Professional electric with push button adjustment 250 mm (37450)
	Needle nose pliers Professional electric with cutting edge curved shape, approx. 40° 200 mm, 8" (26729)
	Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (26708)
	Needle nose pliers Professional electric with cutting edge straight shape 200 mm, 8" (26727)

Stripping / insulating / crimping

	Installation pliers TriCut Professional electric 170 mm, 7" (38552)
	Stripping tool automatic up to 6 mm² 190 mm, 7 1/2" (44617)
	Stripping tool with self-rotating drag blade for round cables 165 mm (44618)
	Crimping tools for wire-end sleeves 220 mm, 0.14 - 16 (33844)

Surveying / marking / measuring / checking

	Single-pole, non-contact volt detector, 90-1,000 VAC Includes two AAA batteries (43798)
	Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip 3.0 mm (34745)
	Electrician's Longlife® folding ruler, 2 m metric, 10 segments 15 mm (42068)
	Control cabinet spirit level 20 cm (36859)

Storage

	Case empty
--	------------

Insulated tools tested according to IEC 60900.







reddot winner 2023



27
pcs



27-pcs.

Order-No.



45528

1

Fastening / Jamming

-  Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.0 mm x 100 mm (35390) / 5.5 mm x 125 mm (35391)
-  Screwdriver SoftFinish® electric slimFix Phillips PH1 x 80 mm (10136) / PH2 x 100 mm (35394)
-  Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv SL/PZ2 x 100 mm (36330)
-  Screwdriver with bit magazine PocketMax® electric mixed with 4 slimBits (45296)
1 x 3.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x SL/PZ2 x 75 mm
-  L-key set in ProStar holder Hexagonal ball end matt chrome-plated 9-pcs. (07185)
1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x ProStar holder

Supplying / holding

-  Industrial electric needle nose pliers with cutting edge straight shape 200 mm, 8" (33178)
- Industrial electric combination pliers with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (33186)

Trimming / cutting

-  Industrial electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43336)

Stripping / insulating / crimping

Stripping multi-tool for round cables 125 mm, 5" (44242)

Surveying / marking / measuring / checking

Electrician's Longlife® folding ruler, 2 m metric, 10 segments 15 mm (42068)

Electrician's spirit level 40 cm (42074)

Storage

Backpack empty

Tested according to IEC 60900.



reddot winner 2023



41
pcs



41-pcs.

Order-No.



45529

1

Fastening / Jamming

-  Screwdriver SoftFinish® Slotted with one-piece hexagonal blade and solid steel cap 12.0 mm x 200 mm (03231)
-  Screwdriver SoftFinish® Slotted with round blade for low-lying screws 3.5 mm x 100 mm (00691) / 4.5 mm x 125 mm (00697) / 5.5 mm x 150 mm (00700) / 6.5 mm x 150 mm (00703)
-  Screwdriver SoftFinish® Phillips with round blade PH1 x 80 mm (00756) / PH2 x 100 mm (00759)
-  Magnetic screwdriver Stubby for 1/4" bits 57 mm (29463)
-  Bit set FlipSelector Standard 25 mm assorted 13-pcs. 1/4" C6,3 (39078)
1 x 5.5 mm / 1 x PH2 / 1 x PZ1 / 1 x PZ2 / 1 x PZ3 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x Bit holder magnetic 58 mm 1/4" / 1 x FlipSelector
-  L-key set in ProStar holder Hexagonal ball end matt chrome-plated 9-pcs. (07185)
1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x ProStar holder
- Ring ratchet open-end spanner 8 mm x 8 mm (44638) / 10 mm x 10 mm (44640) / 13 mm x 13 mm (44654) / 17 mm x 17 mm (44658) / 19 mm x 19 mm (44660)

Trimming / cutting

-  Heavy-duty diagonal cutters Industrial with DynamicJoint® with switchable opening spring 180 mm, 7" (41272)
- Combination pliers Industrial with DynamicJoint® and OptiGrip with extra long cutting edge 200 mm, 8" (32319)

Supplying / holding

- Water pump pliers Industrial box type 250 mm (32342)

Striking / chiselling

- Engineer's hammer

Surveying / marking / measuring / checking

- Measuring tape 5 m With belt clip (33251)

Storage

- Backpack empty



30
pcs



assorted 30-pcs. incl. bag

Order-No.



43879

1

Fastening / Jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 5.5 mm x 125 mm (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Phillips PH1 x 80 mm (10136) / PH2 x 100 mm (35394)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv PZ1 x 80 mm (35395) / PZ2 x 100 mm (35396)
- ⊖ PicoFinish® fine screwdriver Slotted 1.5 mm x 40 mm (42384) / 2.0 mm x 40 mm (42388) / 2.5 mm x 50 mm (42391) / 3.0 mm x 50 mm (42394)
- ⊕ PicoFinish® fine screwdriver Phillips PH00 x 40 mm (42402) / PH0 x 50 mm (42401)
- ⊖ ⊕ ⊕ ⊕ ⊕ Switch cabinet key cross shape 7.0 mm- 9- 5 - 8- 3 - 5 (36114)
- L-key set in Compact holder Hexagonal ball end matt chrome-plated 9-pcs. (01418)
1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm / 1 x Compact holder

Trimming / cutting

- ✂ Professional electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43335)
- ✂ Electronic needle nose pliers narrow, short head straight form 135 mm, 5 1/3" (26801)
- ✂ Electronic diagonal cutters wide, pointed head and wire trapping spring without bevelled edge 138 mm, 5 1/8" (26825)

Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape 200 mm, 8" (26727)

Stripping / insulating / crimping

- Stripping tool automatic up to 6 mm² 190 mm, 7 1/2" (44617)
- Stripping tool with self-rotating drag blade for round cables 165 mm (44618)

Surveying / marking / measuring / checking

- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip 3.0 mm (34745)

Storage

- Toolbag (mechanics/electricians)

Tested according to IEC 60900



32
pcs



mixed, 32 pcs. incl. multifunctional bag

Order-No.



43465

1

Fastening / Jamming

- ⊖ slimBit electric bit Slotted 2.0 mm x 75 mm (43115) / 3.5 mm x 75 mm (41159) / 5.5 mm x 75 mm (34581) / 6.5 mm x 75 mm (34582)
- ⊕ slimBit electric bit Phillips PH0 x 75 mm (43116) / PH1 x 75 mm (34583) / PH2 x 75 mm (34584)
- ⊕ slimBit electric bit PlusMinus/Pozidriv SL/PZ1 x 75 mm (34589) / SL/PZ2 x 75 mm (34590)
- ⊕ slimBit electric bit Pozidriv PZ1 x 75 mm (34585) / PZ2 x 75 mm (34586)
- slimBit electric bit Hex 3.0 mm x 75 mm (37147) / 4.0 mm x 75 mm (37225) / 5.0 mm x 75 mm (37226)
- ⊗ slimBit electric bit TORX® T10 x 75 mm (35507) / T15 x 75 mm (35508) / T20 x 75 mm (35509) / T25 x 75 mm (36071)
- Insulated nut driver insert 1/4" hexagon head 5.0 mm x 42 mm (43089) / 5.5 mm x 42 mm (10102) / 6.0 mm x 42 mm (43091) / 7.0 mm x 42 mm (10103) / 8.0 mm x 42 mm (43093) / 10.0 mm x 42 mm (43095) / 11.0 mm x 42 mm (43096) / 13.0 mm x 42 mm (43098)
- slimVario® electric adapter for 1/4" nut driver 59 mm (43139)
- Extension slimVario® electric for slimBits 6.0 mm x 69.5 mm (43292)
- Screwdriver with bit holder SoftFinish® slimVario® electric
- Fine screwdriver PicoFinish® slimVario® electric
- Screwdriver with bit holder SoftFinish® electric slimVario Stubby

Storage

Functional bag Empty (43474)

Manufactured acc. to IEC 60900.

Tool set electrician



17
pcs



Mixed, 13-pcs. incl. tool pouch

Order-No.



36389

1

Fastening / Jamming



Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.5 mm x 125 mm (35501) / 5.5 mm x 125 mm (35391)



Screwdriver SoftFinish® electric slimFix Pozidriv PZ1 x 80 mm (35395) / PZ2 x 100 mm (35396)

Trimming / cutting



Cable cutter Professional electric with switchable opening spring 210 mm, 8 1/4" (43662)

Supplying / holding



Needle nose pliers Professional electric with cutting edge straight shape 200 mm, 8" (26727)



Heavy-duty diagonal cutters Professional electric with DynamicJoint® with switchable opening spring 180 mm, 7" (41274)

Stripping / insulating / crimping

Stripping tool automatic up to 6 mm² 190 mm, 7 1/2" (44617)

Stripping tool with self-rotating drag blade for round cables 165 mm (44618)

Surveying / marking / measuring / checking



Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip 3.0 mm (34745)

Folding ruler LongLife Plus 2 m metric, 10 segments 15 mm (27059)

Storage

Tool kit

Tested according to IEC 60900

Tool set electrician



7
pcs



Screwdriver, diagonal cutters, 7-pcs. incl. tool pouch

Order-No.



33969

1

Fastening / Jamming



Screwdriver SoftFinish® electric Slotted 3.5 mm x 100 mm (00822) / 4.5 mm x 125 mm (00824) / 5.5 mm x 125 mm (00826)



Screwdriver SoftFinish® electric Phillips PH1 x 80 mm (00847) / PH2 x 100 mm (00848)

Trimming / cutting



Professional electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43335)

Storage

Tool kit

Manufactured acc. to IEC 60900.
Tested according to IEC 60900



18
pcs



mixed, 18-pcs. incl. belt pouch

Order-No.

44574



1

Fastening / Jamming

- ⊖ Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.0 mm x 100 mm (35390) / 5.5 mm x 125 mm (35391)
- ⊕ Screwdriver SoftFinish® electric slimFix Pozidriv PZ1 x 80 mm (35395)
- ⊕ Screwdriver SoftFinish® electric slimFix PlusMinus/Pozidriv SL/PZ2 x 100 mm (36330)
- ⊕ Screwdriver SoftFinish® electric slimFix TORX® T10 x 100 mm (36536)
- ⊖ PicoFinish® electric fine screwdriver Slotted 1.5 mm x 50 mm (42374) / 2.5 mm x 65 mm (42376)
- ⊕ PicoFinish® electric fine screwdriver Phillips PH00 x 50 mm (42379) / PH0 x 65 mm (42378)

Supplying / holding

- Needle nose pliers Professional electric with cutting edge straight shape 200 mm, 8" (26727)

Stripping / insulating / crimping

- ✂ Installation pliers TriCut Professional electric 170 mm, 7" (38552)

Trimming / cutting

- ✂ Professional electric diagonal cutters with DynamicJoint® 140 mm, 5 1/2" (43326)

Surveying / marking / measuring / checking

- Electrician's Longlife® folding ruler, 2 m metric, 10 segments 15 mm (42068)
- Flashlight with LED, laser and UV light including 3 AAA batteries 100 - 350 lm (41286)
- ⊖ Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip 3.0 mm (34745)
- Measuring tape 5 m With belt clip (33251)

Storage

Tool Belt Pouch

Manufactured acc. to IEC 60900.



70
pcs



70-pcs.

Order-No.



45802

1

Fastening / Jamming

	Screwdriver SoftFinish® electric slimFix Slotted 3.5 mm x 100 mm (35446) / 4.0 mm x 100 mm (35390) / 5.5 mm x 125 mm (35391) / 6.5 mm x 150 mm (10155)
	Screwdriver SoftFinish® electric slimFix Phillips PH1 x 80 mm (10136) / PH2 x 100 mm (35394)
	Screwdriver SoftFinish® electric slimFix TORX® T20 x 100 mm (36538) / T25 x 125 mm (36539) / T27 x 125 mm (36540) / T30 x 125 mm (36541) / T40 x 150 mm (36542)
	Screwdriver SoftFinish® electric Hex nut driver 7.0 mm x 125 mm (00858) / 8.0 mm x 125 mm (00859) / 10.0 mm x 125 mm (00861) / 13.0 mm x 125 mm (00864)
	Torque screwdriver set TorqueVario®-S electric 0,8-5,0 Nm mixed, variably adjustable torque limit, 14 pcs. incl. folding bag (40674) 1 x Torque screwdriver TorqueVario®-S electric variably adjustable torque limit / 1 x Setting tool for torque screwdriver with long handle / 1 x Screwdriver SoftFinish® slimVario® electric for slimBits / 1 x Adapter TorqueVario-S electric for slimBits / 1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm / 1 x PH1 x 75 mm / 1 x PH2 x 75 mm / 1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm / 1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm / 1 x Folding bag
	Torque key, electric 3/8" for nut drivers, adjustable torque limit (44163)
	Insulated nut driver insert 1/4" hexagon head 4.0 mm x 42 mm (43088) / 5.0 mm x 42 mm (43089) / 5.5 mm x 42 mm (10102) / 6.0 mm x 42 mm (43091) / 7.0 mm x 42 mm (10103) / 8.0 mm x 42 mm (43093) / 9.0 mm x 42 mm (10104) / 10.0 mm x 42 mm (43095) / 11.0 mm x 42 mm (43096) / 12.0 mm x 42 mm (10105) / 13.0 mm x 42 mm (43098) / 14.0 mm x 42 mm (43099)
	Insulated nut driver insert 3/8" hexagon head 16.0 mm x 45 mm (43071) / 17.0 mm x 45 mm (43072) / 18.0 mm x 45 mm (43073) / 19.0 mm x 47 mm (43074) / 21.0 mm x 47 mm (43075) / 22.0 mm x 47 mm (43076)
	Nut driver insert electric deep 3/8" Double hex 8 8.0 mm x 80 mm (44146) / 10.0 mm x 80 mm (44147) / 12.0 mm x 80 mm (44148)
	Insulated nut driver insert 1/4" internal hexagon 4.0 mm x 65 mm (43110) / 6.0 mm x 65 mm (43112) / 8.0 mm x 65 mm (43113)
	Insulated extension 3/8" for nut driver inserts, insulated 125 mm (43057)
	Insulated extension 3/8" for nut driver inserts, insulated 250 mm (43058)
	Insulated square adapter 3/8" for 1/4" nut driver (44355)
	slimVario® electric adapter for 1/4" nut driver 59 mm (43139)
	Adapter TorqueVario-S electric for 1/4" nut driver (43128)

Supplying / holding

	Water pump pliers Professional electric with push button adjustment 250 mm (37450)
	Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge 200 mm, 8" (26711)
	Long flat-nose pliers Professional electric 160 mm, 6 1/2" (26732)
	Needle nose pliers Professional electric with cutting edge curved shape, approx. 40° 200 mm, 8" (26729)

Trimming / cutting

	Cable cutter Professional electric with switchable opening spring 210 mm, 8 1/4" (43662)
	Professional electric diagonal cutters with DynamicJoint® 180 mm, 7" (43340)

Stripping / insulating / crimping

	Cable stripping knife straight cutting edge for round cables 200 mm (38798)
--	---

Surveying / marking / measuring / checking

	Voltage and continuity tester eMobility 12 - 1,000 V AC, CAT IV incl. 2x AAA batteries (44319)
	Flashlight with LED, laser and UV light including 3 AAA batteries 100 - 350 lm (41286)

Various

	Warning sign for electric and hybrid vehicles (44357)
--	---

Storage

	Tool case XL empty
--	--------------------

Insulated tools tested according to IEC 60900.



Electro

Safety for professionals.


Quality and precision from one source. All devices convince by the highest measuring accuracy and the best quality not to mention the typical features functionality and durability of Wiha. The "Electrical" product group presents itself with a range of Wiha innovations, starting with the torch, the e-screwdrivers and the measuring device series: from voltage testers to multimeters, from rotary field indicators to ammeters. Wiha offers exactly the right tool for a wide range of applications.

"The speedE® PocketDrive is a real all-rounder that I can rely on completely. Whether large or small screws, powerful or fine - I decide what is needed at the touch of a button. Thanks to its compact size and shadow-free lighting, it supports me in everything I have to do."

Max Buhl









7
pcs



7 pcs with slimBits, batteries and USB charger in L Boxx Mini

Order-No.



44318

1

Fastening / Jamming

- E-screwdriver handle speedE® II
- ⊖ slimBit electric bit Slotted 3.5 mm x 75 mm (41159)
- ⊕ slimBit electric bit PlusMinus/Pozidriv SL/PZ2 x 75 mm (34590)

Various

Charger for battery type 18500 Li-Ion with USB

Battery set, 18500 Li-ion 2 units in box (41914)
18500 Li-ion battery



Electric screwdriver speedE® PocketDrive



with bit box and bag	
Order-No.	
45791	1

Fastening / Jamming
E-screwdriver handle speedE® PocketDrive
31-piece bit box slotted, Phillips, Pozidriv, hexagonal, TORX®
Bit holder magnetic
Various
USB charging cord (type USB-C)
Storage
Softbox

EN 12100:2011-03, EN 62841-1:2016, EN 62841-2-2:2015, EN 60335-1:2020, EN 60335-2-29:2019, 2011/65/EU, 2014/35/EU, 2014/30/EU, 2006/42/EC.



Clamp meter up to 1,000 V AC, CAT IV



incl. 2x AAA batteries

Order-No.				1	
V AC	0 - 1000	Hold	Yes		
V DC	0 - 1500	min	Yes		
A AC	400	max	Yes		
A DC	400	CAT	CAT IV 1.000 V		
MΩ	40	NCV	Yes		
INSIDE	Yes	INSIDE	Yes		
MHz	5	AVG	Yes		
TRUE RMS	Yes	Ω	< 30 Ω		
IP	IP40	mm	220		

IEC/EN 61010-1, IP40



Digital multimeter up to 1,000 V AC, CAT IV



incl. 2x AAA batteries

Order-No.				1	
V AC	0 - 1000	max	Yes		
V DC	0 - 1000	automatic / manual			
A AC	10	?	Yes		
A DC	10	2x AAA batteries			
MΩ	200	Yes			
MHz	60	6,000 digits			
IP	-200°C - 1.350°C	IP40			
0 - 50°C		F 600 mA / 1,000 V ceramic 6.3 x 32 mm and F 10 A / 1,000 V ceramic 6.3 x 32 mm			
-10	CAT	CAT IV 600 V / CAT III 1.000 V			
test	Yes, up to 2V	2			
REL	Yes	2000			
TRUE RMS	Yes	NCV	Yes		
Hold	Yes	60			
Ω	Yes	150			
min	Yes				

IEC/EN 61010-1, IEC/EN 61010-2-033, IEC/EN 61010-031, IP40, CE

Digital multimeter up to 600 V AC, CAT IV



incl. 2x AAA batteries

Order-No. 			
45218			1
V AC min-max	0 - 600	max	No
V DC min-max	0 - 600		automatically
A AC	10		Yes
A DC	10		2x AAA batteries
MΩ	40		No
MHz	5		4,000 digits
	-20 - 500°C		IP40
	0 - 50°C		F 400 mA / 600 V Ceramic 6,3 x 32 mm and F 10 A / 600 V Ceramic 6,3 x 32 mm
	-10	CAT	CAT IV 300 V / CAT III 600 V
	Yes, up to 2V		2
REL	Yes		2000
TRUE RMS	No	NCV	No
Hold	Yes		100
	Yes		150
min	No		

IEC/EN 61010-1, IEC/EN 61010-2-033, IEC/EN 61010-031, IP 40, CE, GS

Voltage and continuity tester 0.5 - 1,000 V AC, CAT IV



incl. 2x AAA batteries

Order-No. 			
45217			1
V AC min-max	0.5 - 1000		100
V DC min-max	0.5 - 1500		170 - 1,000 V phase to phase AC 40-70 Hz
	2		Measuring range 0 - 500 kΩ + 50%
NCV	Yes	LED	> 50 V AC, > 120 V DC
	No	LCD	0.5 V - 1,000 V AC, 0.5 V - 1,500 V DC
	Yes	LCD	0.1 V (< 10 V) und 1 V (> 10 V)
	No	LCD	+/- 3 %, +/- 3 digit (< 10 V) and +/- 3 %, +/- 5 digit (> 10 V)
	Yes		OL
RCD	Yes		< 0.5 s LED and < 1 s LCD
	LCD LED		I _s < 3.5 mA (at 1,000 V)
	IP64		30 s ON (operating time), 240 s OFF (recovery time)
	LED L, R		80
	LED and audible tone		85
	-15°C - 50°C		Yes
	-20		282
	2000		

IEC/EN 61243-3:2014, IP64, CE

Voltage and continuity tester 12 - 1,000 V AC, CAT IV



incl. 2x AAA batteries

Order-No.				
45216				1
V AC	12 - 1000		100	
V DC	12 - 1500		170 - 1,000 V phase to phase AC 50/60 Hz	
	2		Measuring range 0 - 500 kΩ + 50%	
NCV	No	LED	> 50 VAC, > 120 V DC	
	No	LCD	X	
	No	LCD	X	
	No	LCD	X	
	Yes		X	
RCD	Yes		< 0.5 s at 100 % of the nominal value	
	LED		I _s < 3.5 mA (at 1,000 V)	
IP	IP64		30 s ON (operating time), 240 s OFF (recovery time)	
	LED L, R		80	
	LED and audible tone		85	
	-15 - 50°C		Yes	
	-20		282	
	2000			

IEC/EN 61243-3:2014, IP64, CE

Voltage and continuity tester eMobility 12 - 1,000 V AC, CAT IV



incl. 2x AAA batteries

Order-No.				
44319				10
V AC	12 - 1000		100	
V DC	12 - 1500		170 - 1,000 V phase to phase	
	2		Measuring range 0 - 500 kΩ + 50%	
NCV	No	LED	> 50 VAC, > 120 V DC	
	No	LCD	4-digit LC display	
	Yes	LCD	1 V	
	Yes	LCD	+/- 3 %, +/- 3 digit	
	No		OL	
RCD	No		1 s	
	LCD LED		I _s < 3.5 mA (at 1,000 V)	
IP	IP64		30 s ON (operating time), 240 s OFF (recovery time)	
	LED L, R		80	
	LED and audible tone		85	
	-15 - 40°C		Yes	
	-20		282	
	2000			

IEC/EN 61010-1, IEC/EN 61243-3:2014, IP64, CE

Single-pole, non-contact voltage tester volt detector, explosion protected 12-1,000 V AC



incl. 2x AAA batteries

Order-No.			
44309		10	
	2x AAA batteries	CAT	CAT IV 1.000 V
	28.5		IP67
	12 - 1000		-20 - 40°C
	Yes		Yes
	Yes		150 mm
	Yes		

IEC/EN 61010-1, IEC/EN 61326, IP67
EPS 22 UKEX 1 333 X, EPS 19 ATEX 1 223 X

Single-pole, non-contact volt detector, 12-1,000 V AC



incl. 2x AAA batteries

Order-No.			
43797		10	
	2x AAA batteries	CAT	CAT IV 1.000 V
	28.5		IP67
	12 - 1000		-20 - 40°C
	Yes		Yes
	No		150 mm
	Yes		

IEC/EN 61010-1, IEC/EN 61326, IP67

Single-pole, non-contact volt detector, 90-1,000 VAC



incl. 2x AAA batteries

Order-No.			
43798		10	
	2x AAA batteries	CAT	CAT IV 1.000 V
	28.5		IP67
	90 - 1000		-20 - 40°C
	Yes		No
	No		150 mm
	No		

IEC/EN 61010-1, IEC/EN 61326, IP67



Socket tester 230 V AC, CAT II



Order-No.			
45220		1	
	No	VAC max 50V	5
TRUE RMS	230		IP40
MHz	50		-10 - 50°C
	2		-10
CAT	CAT II 300V		93
	300V		
IEC/EN 61010-1, IP40, CE			

Continuity tester 400 V AC, CAT II



incl. 2x AAA batteries

Order-No. 				
45222				1
	2x AAA batteries		IP40	
	Range 1: 0 to 500 kΩ / Range 2: 0 to 10 Ω		LED and signal tone	
	Range 1: < 5 μA / Range 2: < 20 mA		0 - 40°C	
	400 V AC / DC (30s)		Yes	
>Ω	0 - 500 kΩ und 0 - 10Ω		Yes	
	Yes		93	
IEC/EN 61010-1, IP40, CE				



Rotational field indicator 100 - 700 V AC, CAT IV



CAT
IV

700
V AC

Order-No.



45221

1

	No		600V
V AC min-max	100 - 700		IP40
V DC min-max	100 - 700		LED L, R
	3.5		0 - 40°C
	400		2000
	3		LED L1, L2, L3
	2		LED Warnung
	Yes		100V - 700V
CAT	CAT IV 600 V		93

IEC/EN 61010-1, IEC/EN 61577-7, IEC/EN 611010-031, IP40



Flashlight with LED, laser and UV light




in blister pack, including 3 AAA batteries

Order-No.	LED		UV			
41286	100 - 350 lm	Class 2	390 - 400 nm	3x AAA batteries	x	5





Order-No.				
45698				1
LED	750 - 3000 lm		70 m	
	4400 mAh		No	
	13 h		5000 Lux	
IP	IP54		6500 Kelvin	
	IK07		• Ra > 70	
	-10° bis +30°		USB-C	
	7.4 V		6 h	
	• Low COB-LED • Medium COB-LED • High COB-LED		180 mm	
Wh	30 w/h		x	
	Yes			



Headlamp 500 lm



Order-No.			
45700		1	
LED	140 - 500 lm		69 m
	2000 mAh		Yes
	10 h		4700 Lux
	IPx6		• ≥ 90 Ra
	IK07		USB-C
	-10 - 25°C		3 h
	3.7 V		4000 - 6500 Kelvin
	• Low SMD-LED • High SMD-LED • Low COB-LED • High COB-LED		87 mm
Wh	7.4 w/h		x
	Yes		



Handlamp 1,200 lm



Clip

Clip + Magnet

1200 lm

on / off sensor



Order-No.			
45699		1	
LED	80 - 1200 lm		50 m
	2000 mAh		Yes
	10 h		2500 Lux
	IPx3		5500 Kelvin
	IK07		• COB: ≥ 70 RaSMD: ≥ 65 Ra
	-15 - 25°C		USB-C
	3.7 V		3 h
	• Low COB-LEDMedium COB-LED • High COB-LED • Spot SMD-LED		115 mm
Wh	7.4 w/h		x
	No		



Handlamp 800 lm



Order-No.					
45701				1	
LED	60 - 800 lm		42 m		
	1200 mAh		No		
	11 h		1800 Lux		
	IPx5		6000 Kelvin		
	IK07		• COB: ≥ 80 RaSMD: ≥ 70 Ra		
	-10 - 25°C		USB-C		
	3.7 V		4 h		
	• Low COB-LEDMedium COB-LED • High COB-LED • Spot SMD-LED • Boost COB-LED		mm		
			97 mm		
Wh	4.44 w/h		SB	x	
	No				







Screwdrivers

We have the know-how at the tip of our fingers.

The ergonomic quality of a tool is never quite so apparent as when fastening and clamping. Under the motto "A grasp on turning" Wiha presents an innovative handle size concept which breaks new ground in terms of individual user comfort. Many commonly available screwdrivers are not designed to meet the needs of users. This results in disadvantages in guiding the tool as well as in transmitting force while fastening. In contrast, the- Wiha SoftFinish® concept works with four different handle sizes: Thus, each handle has a perfectly correlated ratio of guidance, speed and torque for any task. With SoftFinish, Wiha became the world's first and only hand tool manufacturer to have products honoured with the renowned AGR quality seal - a seal of approval accepted by medical professionals and officially recommended by doctors and therapists. Wiha screwdrivers featuring SoftFinish are available for dry applications, damp and oily applications and as VDE-certified, insulated screwdrivers for use when working on live parts.

**Wiha screwdrivers - for
handicraft, industry,
electrics and model-making**



Screwdriver with bit holder SoftFinish® electric slimVario



17
pcs



Mixed, 17-pcs. incl. folding bag

Order-No.	
36068	1
○	1 x Screwdriver SoftFinish® slimVario® electric for slimBits
⊖	1 x 2.5 mm x 75 mm / 1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊗	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊗	1 x T10 x 75 mm / 1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm
⊗	1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm
⊖	1 x Voltage tester SoftFinish® single-pole, 110-250 volts Slotted transparent, with push-on clip
	1 x Folding bag

Manufactured acc. to IEC 60900.

Screwdriver and bit set slimVario®



19
pcs



Mixed, 19-pcs. incl. folding bag

Order-No.	
41231	1
○	1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby
○	1 x Screwdriver SoftFinish® slimVario® electric for slimBits
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊗	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊗	1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm
⊗	1 x T9 x 75 mm / 1 x T10 x 75 mm / 1 x T15 x 75 mm / 1 x T20 x 75 mm
⊗	1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm / 1 x 5.0 mm x 75 mm
	1 x Folding bag

Manufactured acc. to IEC 60900.



Screwdriver and bit set slimVario® screwdriver



10
pcs



Slotted, Phillips, Pozidriv, 10-pcs. incl. folding bag



Order-No.	
41232	1
○	1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby
○	1 x Screwdriver SoftFinish® slimVario® electric for slimBits
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊗	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
	1 x Folding bag

Manufactured acc. to IEC 60900.

Slotted, Pozidriv, PlusMinus/Pozidriv, 10-pcs. incl. folding bag

Order-No.	
41233	1
○	1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby
○	1 x Screwdriver SoftFinish® slimVario® electric for slimBits
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊗	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊗	1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm
	1 x Folding bag

Manufactured acc. to IEC 60900.



Screwdriver set Stubby slimVario® electric



4
pcs



Slotted, Phillips, Plus Minus Pozidriv with 3 slimBits

Order-No.	
41230	1
○	1 x Screwdriver with bit holder SoftFinish® electric slimVario Stubby
⊖	1 x 3.5 mm x 75 mm
⊕	1 x PH2 x 75 mm
⊗	1 x SL/PZ2 x 75 mm

Manufactured acc. to IEC 60900.



Fine screwdriver set PicoFinish® slimVario® electric



4
pcs



12
pcs



Slotted, Phillips, Pozidriv with 3 slimBits

Order-No.	
43167	1
1 x Fine screwdriver PicoFinish® slimVario® electric	
⊖	1 x 2.0 mm
⊕	1 x PH0 x 75 mm
⊕	1 x PZ0 x 75 mm

Manufactured acc. to IEC 60900.

slimBit electric bit set



TORX®, TORX PLUS®, 12-pcs. with belt clip

Order-No.	
43161	1
⊖	1 x T6 x 75 mm / 1 x T7 x 75 mm / 1 x T8 x 75 mm / 1 x T9 x 75 mm / 1 x T10 x 75 mm / 1 x T15 x 75 mm
⊕	1 x 6IP x 75 mm / 1 x 7IP x 75 mm / 1 x 8IP x 75 mm / 1 x 9IP x 75 mm / 1 x 10IP x 75 mm / 1 x 15IP x 75 mm
	2 x slimBit box
	1 x Belt holster for slimBit box

Tested according to IEC 60900.



Slotted, Phillips, Pozidriv, PlusMinus/Pozidriv, TORX® 12-pcs. with belt clip

Order-No.	
43162	1
⊖	1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊕	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊕	1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm
⊕	1 x T10 x 75 mm / 1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm
	2 x slimBit box
	1 x Belt holster for slimBit box

Tested according to IEC 60900.

slimBit electric bit set



6
pcs



TORX®, 6-pcs.

Order-No.



43153

1

- 1 x T8 x 75 mm / 1 x T9 x 75 mm / 1 x T10 x 75 mm /
1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm
- 1 x slimBit box

Tested according to IEC 60900.

Hex, 6-pcs.

Order-No.



43156

1

- 1 x 2.0 mm x 75 mm / 1 x 2.5 mm x 75 mm /
1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm /
1 x 5.0 mm x 75 mm / 1 x 6.0 mm x 75 mm
- 1 x slimBit box

Tested according to IEC 60900.

Slotted, Phillips 6-pcs.

Order-No.



43159

1

- 1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm /
1 x 5.5 mm x 75 mm / 1 x 6.5 mm x 75 mm
- 1 x PH1 x 75 mm / 1 x PH2 x 75 mm
- 1 x slimBit box

Tested according to IEC 60900.

Mixed 6-pcs.

Order-No.




45804

1

- 1 x 5.5 mm x 75 mm
- 1 x PH2 x 75 mm
- 1 x SL/PZ2 x 75 mm
- 1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm
- 1 x slimBit box

Tested according to IEC 60900.

Screwdriver set SoftFinish® electric slimFix



12
pcs



assorted 12-pcs.

Order-No.



41003

1

- 1 x 3.5 mm x 100 mm / 1 x 4.0 mm x 100 mm /
1 x 5.5 mm x 125 mm / 1 x 6.5 mm x 150 mm
- 1 x PH1 x 80 mm / 1 x PH2 x 100 mm
- 1 x PZ1 x 80 mm / 1 x PZ2 x 100 mm
- 1 x SL/PZ2 x 100 mm
- 1 x T15 x 100 mm / 1 x T20 x 100 mm /
1 x T25 x 125 mm

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric slimFix



6
pcs



Slotted, Phillips 6-pcs.

Order-No. 

35389 1

⊖ 1 x 3.5 mm x 100 mm / 1 x 4.0 mm x 100 mm /
1 x 5.5 mm x 125 mm / 1 x 6.5 mm x 150 mm

⊕ 1 x PH1 x 80 mm / 1 x PH2 x 100 mm

Manufactured acc. to IEC 60900.

Slotted, Phillips, PlusMinus/Pozidriv 6-pcs.

Order-No. 

38362 1

⊖ 1 x 3.5 mm x 100 mm / 1 x 4.0 mm x 100 mm /
1 x 5.5 mm x 125 mm

⊕ 1 x PH1 x 80 mm / 1 x PH2 x 100 mm

⊗ 1 x SL/PZ2 x 100 mm

Manufactured acc. to IEC 60900.

Slotted, Pozidriv 6-pcs

Order-No. 

36455 1

⊖ 1 x 3.5 mm x 100 mm / 1 x 4.0 mm x 100 mm /
1 x 5.5 mm x 125 mm / 1 x 6.5 mm x 150 mm

⊗ 1 x PZ1 x 80 mm / 1 x PZ2 x 100 mm

Manufactured acc. to IEC 60900.

TORX® Tamper Resistant (with hole) 6-pcs.

Order-No. 

41245 1

⊗ 1 x T10H x 100 mm / 1 x T15H x 100 mm / 1 x T20H x
100 mm / 1 x T25H x 125 mm / 1 x T30H x 125 mm /
1 x T40H x 150 mm

Manufactured acc. to IEC 60900.

TORX® 6-pcs.

Order-No. 

36558 1

⊗ 1 x T8 x 60 mm / 1 x T9 x 60 mm / 1 x T10 x 100 mm /
1 x T15 x 100 mm / 1 x T20 x 100 mm / 1 x T25 x
125 mm

T8 + T9 no slim version

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



7
pcs



Slotted, Phillips 7-pcs.

Order-No. 

00834 1


⊖ 1 x 2.5 mm x 75 mm / 1 x 4.0 mm x 100 mm /
1 x 5.5 mm x 125 mm / 1 x 6.5 mm x 150 mm

⊕ 1 x PH1 x 80 mm / 1 x PH2 x 100 mm

⊖ 1 x Voltage tester SoftFinish® single-pole, 110-250
volts Slotted transparent, with push-on clip

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



6
pcs



Slotted, Phillips 6-pcs.

Order-No.	
00833	1
⊖	1 x 3.0 mm x 100 mm / 1 x 4.0 mm x 100 mm / 1 x 5.5 mm x 125 mm / 1 x 6.5 mm x 150 mm
⊕	1 x PH1 x 80 mm / 1 x PH2 x 100 mm

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



6
pcs



Slotted, Pozidriv 6-pcs

Order-No.	
25477	1
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 100 mm / 1 x 4.5 mm x 125 mm / 1 x 5.5 mm x 125 mm
⊕	1 x PZ1 x 80 mm / 1 x PZ2 x 100 mm

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish® electric



5
pcs



Hexagon nut driver 5-pcs.

Order-No.	
29466	1
○	1 x 5.5 mm x 125 mm / 1 x 7.0 mm x 125 mm / 1 x 8.0 mm x 125 mm / 1 x 10.0 mm x 125 mm / 1 x 13.0 mm x 125 mm

Manufactured acc. to IEC 60900.

Fine screwdriver set PicoFinish® electric



7
pcs



Slotted, Phillips, 7 pcs. incl. holder

Order-No.	
42989	1
⊖	1 x 1.5 mm x 50 mm / 1 x 2.5 mm x 65 mm
⊖	1 x 2.0 mm x 50 mm / 1 x 3.0 mm x 65 mm
⊕	1 x PH00 x 50 mm / 1 x PH0 x 65 mm
	1 x holder

Manufactured acc. to IEC 60900.

Screwdriver set SoftFinish®



12
pcs



assorted 12-pcs.

Order-No.	
41002	1
⊖	1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade
⊕	1 x PH1 x 80 mm / 1 x PH2 x 100 mm / 1 x PH3 x 150 mm
⊕	1 x PZ1 x 80 mm / 1 x PZ2 x 100 mm
⊕	1 x T15 x 80 mm / 1 x T20 x 100 mm / 1 x T25 x 100 mm / 1 x T30 x 115 mm

Screwdriver set SoftFinish®



6
pcs



Slotted, Phillips 6-pcs.

Order-No.	
07152	1
⊖	1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade
⊕	1 x PH1 x 80 mm / 1 x PH2 x 100 mm

Slotted, Pozidriv 6-pcs

Order-No.	
07153	1
⊖	1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade for low-lying screws / 1 x Screwdriver SoftFinish® Slotted with round blade
⊕	1 x PZ1 x 80 mm / 1 x PZ2 x 100 mm

TORX® 6-pcs.

Order-No.	
07155	1
⊕	1 x T10 x 80 mm / 1 x T15 x 80 mm / 1 x T20 x 100 mm / 1 x T25 x 100 mm / 1 x T30 x 115 mm / 1 x T40 x 130 mm

Screwdriver set SoftFinish®



7
pcs



TORX® 7-pcs.

Order-No.	
01299	1
	1 x T8 x 60 mm / 1 x T9 x 60 mm / 1 x T10 x 80 mm / 1 x T15 x 80 mm / 1 x T20 x 100 mm / 1 x T25 x 100 mm / 1 x T30 x 115 mm

Screwdriver set SoftFinish®



6
pcs



Hexagon nut driver 5-pcs.

Order-No.	
01034	1
	1 x 5.5 mm x 125 mm / 1 x 7.0 mm x 125 mm / 1 x 8.0 mm x 125 mm / 1 x 10.0 mm x 125 mm / 1 x 13.0 mm x 125 mm

Screwdriver set SoftFinish®



6
pcs



Slotted, Phillips hexagonal blade and solid steel cap, 6-pcs.

Order-No.	
21250	1
⊖	1 x 3.5 mm x 75 mm / 1 x 4.5 mm x 90 mm / 1 x 5.5 mm x 100 mm / 1 x 6.5 mm x 125 mm
⊕	1 x PH1 x 80 mm / 1 x PH2 x 100 mm



Fine screwdriver set PicoFinish®



7
pcs

Slotted, Phillips, 7 pcs. incl. holder

Order-No.	
42990	1
⊖	1 x 1.5 mm x 40 mm / 1 x 2.0 mm x 40 mm / 1 x 2.5 mm x 50 mm / 1 x 3.0 mm x 50 mm
⊕	1 x PH00 x 40 mm / 1 x PH0 x 50 mm
	1 x holder

TORX®, 7 pcs. incl. holder

Order-No.	
42997	1
⊕	1 x T4 x 40 mm / 1 x T5 x 40 mm / 1 x T6 x 40 mm / 1 x T7 x 40 mm / 1 x T8 x 40 mm / 1 x T9 x 50 mm
	1 x holder

Fine screwdriver set PicoFinish®



7
pcs

Slotted, Phillips 7-pcs.

Order-No.	
42991	1
⊖	1 x 1.5 mm x 40 mm / 1 x 2.0 mm x 40 mm / 1 x 2.5 mm x 50 mm / 1 x 3.0 mm x 50 mm
⊕	1 x PH00 x 40 mm / 1 x PH0 x 50 mm / 1 x PH1 x 60 mm

Magnetiser/ Demagnetiser



in blister pack

Order-No.	mm	
02568	52	5

SoftFinish® universal scraper set



12
pcs



12-pcs.

Order-No.	
26920	1
1 x SoftFinish® universal scraper	
Replacement blade set, 13 mm wide 10-pcs. for universal scraper (27606)	

Fine screwdriver set PicoFinish® ESD



7
pcs



Slotted, Phillips, 7 pcs. incl. holder

Order-No.	
43707	1
⊖	1 x 1.5 mm x 40 mm / 1 x 2.0 mm x 40 mm / 1 x 2.5 mm x 50 mm / 1 x 3.0 mm x 50 mm
⊕	1 x PH0 x 50 mm / 1 x PH00 x 40 mm
	1 x holder

IEC 61340-5-1

Screw extractor set



17
pcs

Hex, 17-pcs. with spiral drill bit incl. box

Order-No.	
03988	1
⊗	1 x 2.3 mm / 1 x 2.8 mm / 1 x 3.4 mm / 1 x 4.5 mm / 1 x 5.7 mm / 1 x 6.8 mm / 1 x 9 mm / 1 x 11 mm
⊙	1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm
	1 x Box



Torque tools

Controlled power for greater security.

The correct torque prevents damage to materials, eliminates the need for retouching and protects against warranty claims. This makes fully certified Wiha torque tools essential for mechanics, electricians and electronics technicians as they combine precision with security: with a release accuracy of $\pm 6\%$ for the pre-set scale value, Wiha torque screwdrivers satisfy standard precision requirements. Guaranteed individual item testing using the manufacturer's inspection process and individual item marking with an identification number attest to the high quality and manufacturing standard of the tools.



In most modern industrial and production units today, process and application safety is one of the top objectives. For example, the use of Wiha torque tools during the replacement of reversible plates can prevent follow-up work, prevent material damage, save time and ensure quality.



Torque screwdriver set TorqueVario®-S electric



19
pcs



0,8-5,0 Nm mixed, variably adjustable torque limit, 19 pcs. incl. folding bag

Order-No.	
36791	1
○	1 x Torque screwdriver TorqueVario®-S electric variably adjustable torque limit
	1 x Setting tool for torque screwdriver with long handle
○	1 x Adapter TorqueVario-S electric for slimBits
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm / 1 x 6.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊕	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊕	1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm
⊕	1 x T9 x 75 mm / 1 x T10 x 75 mm / 1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm
	1 x Folding bag

DIN EN ISO 6789.
Manufactured acc. to IEC 60900.

Torque screwdriver set TorqueVario®-S electric



14
pcs



0,8-5,0 Nm mixed, variably adjustable torque limit, 14 pcs. incl. folding bag

Order-No.	
40674	1
○	1 x Torque screwdriver TorqueVario®-S electric variably adjustable torque limit
	1 x Setting tool for torque screwdriver with long handle
○	1 x Screwdriver SoftFinish® slimVario® electric for slimBits
○	1 x Adapter TorqueVario-S electric for slimBits
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊕	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊕	1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm
	1 x Folding bag

DIN EN ISO 6789.
Manufactured acc. to IEC 60900.



Torque screwdriver set TorqueVario®-S electric



5
pcs



0,8-5,0 Nm PlusMinus/Pozidriv variably adjustable torque limit 5-pcs.

Order-No.



38074

1

- 1 x Torque screwdriver TorqueVario®-S electric variably adjustable torque limit
- 1 x Setting tool for torque screwdriver with long handle
- 1 x Adapter TorqueVario-S electric for slimBits
- ⊕ 1 x SL/PZ1 x 75 mm / 1 x SL/PZ2 x 75 mm

DIN EN ISO 6789.
Manufactured acc. to IEC 60900.

Torque set easyTorque adapter electric



5
pcs



for slimBits and slimVario® holder, 5-pcs.

Order-No.



41479

5

- 1 x 0.8 Nm / 1 x 2.0 Nm / 1 x 2.5 Nm / 1 x 2.8 Nm / 1 x 4.0 Nm

Manufactured acc. to IEC 60900.



Torque screwdriver set TorqueVario®-S



14
pcs



12
pcs



0.8–5.0 Nm mixed, 14 pcs., variably adjustable torque limit incl. box

Order-No. 

26893 1

○ 1 x Torque screwdriver TorqueVario®-S variably adjustable torque limit / 1 x Bit holder clamping with ball for torque screwdriver with long handle

1 x Setting tool for torque screwdriver with long handle

⊕ 1 x PH1 / 1 x PH2

⊕ 1 x PZ1 / 1 x PZ2

⊕ 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25

● 1 x 3.0 mm / 1 x 4.0 mm

1 x Box

DIN EN ISO 6789.

0.8–5.0 Nm TORX®, TORX PLUS®, 14 pcs. variably adjustable torque limit incl. box

Order-No. 

34614 1

○ 1 x Torque screwdriver TorqueVario®-S variably adjustable torque limit / 1 x Bit holder clamping with ball for torque screwdriver with long handle

1 x Setting tool for torque screwdriver with long handle

⊕ 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15

⊕ 1 x 7IP / 1 x 8IP / 1 x 9IP / 1 x 10IP / 1 x 15IP

1 x Box

DIN EN ISO 6789.

Torque screwdriver with T-handle set TorqueVario®-S T



12
pcs



5–14 Nm mixed, 12 pcs., variably adjustable torque limit incl. box

Order-No. 

29234 1

○ 1 x Torque screwdriver with T-handle TorqueVario®-S T 5–14 Nm variably adjustable torque limit

1 x Setting tool for torque screwdriver with T-handle

⊕ 1 x Adapter blade for torque screwdriver with T-handle

⊕ 1 x Adapter blade for torque screwdriver with T-handle

○ 1 x Bit holder for torque screwdriver with T-handle

⊕ 1 x T25 / 1 x T30 / 1 x T40

● 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm

1 x Box

DIN EN ISO 6789.

Torque screwdriver with key handle set easyTorque Key



NEW

23
pcs



Torx®, TorxPlus® 23-pcs. fixed pre-set torque limit
in a work bench stand

Order-No.	
47198	1
1 x 0.6 Nm / 1 x 0.9 Nm / 1 x 1.1 Nm / 1 x 1.5 Nm / 1 x 2.2 Nm / 1 x 3.0 Nm / 1 x 3.8 Nm / 1 x 5.0 Nm	
1 x T6 x 110 mm / 1 x T7 x 110 mm / 1 x T8 x 110 mm / 1 x T9 x 110 mm / 1 x T10 x 110 mm / 1 x T15 x 110 mm / 1 x T20 x 110 mm	
1 x 6IP x 110 mm / 1 x 7IP x 110 mm / 1 x 8IP x 110 mm / 1 x 9IP x 110 mm / 1 x 10IP x 110 mm / 1 x 15IP x 110 mm / 1 x 20IP x 110 mm	
1 x Workbench stand	

Based on DIN EN ISO 6789.

Torque screwdriver with key handle set easyTorque Key



NEW

19
pcs



Torx®, TorxPlus® 19-pcs. fixed pre-set torque limit
in a work bench stand

Order-No.	
47197	1
1 x 0.6 Nm / 1 x 0.9 Nm / 1 x 1.1 Nm / 1 x 1.5 Nm / 1 x 2.2 Nm / 1 x 3.0 Nm	
1 x T6 x 110 mm / 1 x T7 x 110 mm / 1 x T8 x 110 mm / 1 x T9 x 110 mm / 1 x T10 x 110 mm / 1 x T15 x 110 mm	
1 x 6IP x 110 mm / 1 x 7IP x 110 mm / 1 x 8IP x 110 mm / 1 x 9IP x 110 mm / 1 x 10IP x 110 mm / 1 x 15IP x 110 mm	
1 x Workbench stand	

Based on DIN EN ISO 6789.



Torque screwdriver set TorqueVario®-S ESD



14
pcs



0,4-1,0 Nm assorted, variably adjustable torque limit, 14-pcs. incl. box

Order-No.



43898

1

○ 1 x Torque screwdriver TorqueVario®-S ESD variably adjustable torque limit / 1 x Bit holder clamping with ball for torque screwdriver with long handle

1 x Setting tool for torque screwdriver with long handle

1 x Bit Standard 25 mm Slotted 4,0 mm

⊖ 1 x 4.5 mm

⊕ 1 x PH0 / 1 x PH1

⊗ 1 x PZ0 / 1 x PZ1

⊗ 1 x T4 / 1 x T5 / 1 x T6 / 1 x T8

1 x Box

DIN EN ISO 6789.
IEC 61340-5-1.







Multitools

Many talents in the minimum space.

Less tools mean lighter loads, better handling and efficient work. Therefore, the more functions a single tool offers, the better: Wiha multitools are compact, versatile tools that save space and ensure lighter loads, making them the perfect companion, particularly for mobile use. In the Wiha magazine bit holder LiftUp, the most commonly used bits are neatly stored in the handle, ensuring they are always ready for use and easy to handle. The PocketMax® can additionally be carried directly in a shirt or trouser pocket. The Wiha reversible blade system offers a variety of interchangeable blades, the lengths of which can be adjusted as required. The small, compact Wiha PocketStars contain the most commonly used L-keys – indispensable helpers for all equipment. The Wiha Stubby magazine combines six drive formats in one, allowing excellent access to all many confined spaces thanks to its extremely short screwdriver handle. With the multitools from Wiha you are excellently prepared for a multitude of applications.

Multitools are portable all-rounders for when you are out on the road, no matter where you take off from.





40
pcs



mixed 40-pcs., 1/4"

Order-No.



46960

1

- 1 x Bit ratchet 90 mm with thumb wheel Hexagon head, 1/4"
- 1 x Screwdriver with bit holder SoftFinish®
- 1 x Bit holder magnetic, 58 mm 1/4"
- 1 x 5.5 mm x 25 mm / 1 x 6.0 mm x 25 mm / 1 x 7.0 mm x 25 mm / 1 x 8.0 mm x 25 mm / 1 x 10.0 mm x 25 mm / 1 x 11.0 mm x 25 mm / 1 x 13.0 mm x 25 mm
- 1 x Tool shaft with ball Square, Internal hexagon 1/4" C6,3
- ⊖ 1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm
- ⊕ 1 x PH1 / 2 x PH2 / 1 x PH3
- ⊕ 1 x PZ1 / 2 x PZ2 / 1 x PZ3
- ⊕ 1 x T10 / 1 x T15 / 2 x T20 / 1 x T25 / 1 x T27 / 1 x T30 / 1 x T40
- ⊕ 1 x T10H / 1 x T15H / 1 x T20H / 1 x T25H / 1 x T30H / 1 x T40H
- 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm
- 1 x Bit box

Drive: DIN 3126, ISO 1173, style C 6.3 output drive: based on DIN 3120 / 3122 / 3123 / 3124



Screwdriver with bit magazine LiftUp electric



6
pcs



Slotted, Phillips with 6 slimBits pack in SB-cardboard packaging

Order-No.



38612

1

⊖ 1 x 2.5 mm x 75 mm / 1 x 3.0 mm x 75 mm /
1 x 4.0 mm x 75 mm / 1 x 5.5 mm x 75 mm

⊕ 1 x PH1 x 75 mm / 1 x PH2 x 75 mm

Manufactured acc. to IEC 60900.

Phillips, PlusMinus/Pozidriv, slotted with 6 slimBits in SB-cardboard packaging

Order-No.



38613

1

⊖ 1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm /
1 x 5.5 mm x 75 mm

⊕ 1 x PH1 x 75 mm / 1 x PH2 x 75 mm

⊗ 1 x SL/PZ2 x 75 mm

Manufactured acc. to IEC 60900.

TORX® with 6 slimBits in SB-cardboard packaging

Order-No.



41158

1

⊗ 1 x T8 x 75 mm / 1 x T9 x 75 mm / 1 x T10 x 75 mm /
1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm

Manufactured acc. to IEC 60900.

Slotted, Pozidriv, PlusMinus/Pozidriv with 6 slimBits in SB-cardboard packaging

Order-No.



41235

1

⊖ 1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm /
1 x 5.5 mm x 75 mm

⊗ 1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm

⊗ 1 x SL/PZ2 x 75 mm

Manufactured acc. to IEC 60900.

Screwdriver with bit magazine PocketMax® electric



4
pcs



mixed with 4 slimBits

Order-No.



45296

1

⊖ 1 x 3.5 mm x 75 mm

⊕ 1 x PH1 x 75 mm / 1 x PH2 x 75 mm

⊗ 1 x SL/PZ2 x 75 mm

Tested according to IEC 60900.



Screwdriver with bit magazine LiftUp 26one®



13
pcs



Mixed with 13 double bits 1/4" in blister pack

Order-No.

43895 1

	Double bit, slotted/ slotted 4,0/6,0 / Double bit, Slotted/Slotted 5,5/6,5
	Double bit, Phillips/Phillips PH0/PH3 / Double bit, Phillips/Phillips PH1/PH2
	Double bit, TORX®/TORX® T6/T8 / Double bit, TORX®/TORX® T10/T15 / Double bit, TORX®/TORX® T27/T30
	Double bit, TORX®/TORX® T20/T25
	Double bit, Pozidriv/Pozidriv PZ1/PZ2 / Double bit, Pozidriv/Pozidriv PZ0/PZ3
	Double bit internal square/internal square #1/#2
	Double bit internal hexagon/internal hexagon 3.0/4.0
	Double bit internal hexagon/internal hexagon 5.0/6.0

Screwdriver Stubby with bit magazine



7
pcs



Mixed with 7 double bits

Order-No.

43613 5

	Double bit, slotted/ slotted 4,0/6,0
	Double bit, Phillips/Phillips PH1/PH2
	Double bit, Pozidriv/Pozidriv PZ1/PZ2
	Double bit internal hexagon/internal hexagon 3.0/4.0
	Double bit internal hexagon/internal hexagon 5.0/6.0
	Double bit, TORX®/TORX® T10/T15
	Double bit, TORX®/TORX® T20/T25

DIN 3126, ISO 1173, style D 6.3



Screwdriver with bit magazine LiftUp 25 magnetic



8
pcs

assorted with 12 bits, 1/4" in SB-cardboard packaging

Order-No.	
38605	1
⊖	1 x 4.5 mm / 1 x 6.5 mm
⊕	1 x PH1 / 1 x PH2 / 1 x PH3
⊗	1 x PZ1 / 1 x PZ2 / 1 x PZ3
⊛	1 x T15 / 1 x T20 / 1 x T25 / 1 x T30

assorted with 12 bits, 1/4" in SB-cardboard packaging

Order-No.	
38606	1
⊖	1 x 5.5 mm
⊕	1 x PH2
⊗	1 x PZ1 / 1 x PZ2 / 1 x PZ3
⊛	1 x T15 / 1 x T20 / 1 x T25 / 1 x T30
●	1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm

Screwdriver with bit magazine PocketMax® magnetic



Mixed with 8 bits, 1/4"

Order-No.	
45292	1
⊖	1 x 4.5 mm / 1 x 6.5 mm
⊕	1 x PH1 / 1 x PH2
⊗	1 x PZ1 / 1 x PZ2
⊛	1 x T15 / 1 x T20



Magnetic screwdriver Stubby with bit magazine



6
pcs



Phillips with 6 bits, slotted, 1/4"

Order-No.	
33738	5
⊖	1 x 4.5 mm / 1 x 6.5 mm / 1 x 8.0 mm
⊕	1 x PH1 / 1 x PH2 / 1 x PH3

Pozidriv, Phillips with 6 bits, 1/4"

Order-No.	
33741	5
⊕	1 x PH1 / 1 x PH2 / 1 x PH3
⊗	1 x PZ1 / 1 x PZ2 / 1 x PZ3

TORX with 6 bits, 1/4"

Order-No.	
33744	5
⊛	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40

Screwdriver with interchangeable blade set SYSTEM 6



12
pcs



assorted 12-pcs. incl. roll-up bag

Order-No.	
03591	1
○	1 x Screwdriver handle SoftFinish®-telescopic for SYSTEM 6 interchangeable blade
⊖ ⊖	1 x 4.0 mm, 6.0 mm, 150 mm / 1 x 5.5 mm, 6.5 mm, 150 mm
⊕ ⊕	1 x PH1, PH2, 150 mm
⊕ ⊕	1 x PZ1, PZ2, 150 mm
● ●	1 x 4.0 mm, 4.0 mm, 150 mm / 1 x 5.0 mm, 5.0 mm, 150 mm / 1 x 6.0 mm, 6.0 mm, 150 mm
⊗ ⊗	1 x T10 / 1 x T20 / 1 x T30, T40, 150 mm
	1 x roll-up bag

With ball end



Screwdriver with interchangeable blade set SYSTEM 4



12
pcs



assorted 12-pcs incl. roll-up bag

Order-No.	
27820	1
○	1 x Screwdriver handle SoftFinish®-telescopic for SYSTEM 4 interchangeable blade
⊖ ⊖	1 x 1.5 mm, 3.0 mm, 120 mm / 1 x 2.0 mm, 3.5 mm, 120 mm / 1 x 2.5 mm, 4.0 mm, 120 mm
⊕ ⊕	1 x PH000, PH00, 120 mm / 1 x PH0, PH1, 120 mm
⊗ ⊗	1 x T6, T8, 120 mm / 1 x T7, T9, 120 mm
● ●	1 x 1.5 mm, 1.5 mm, 120 mm / 1 x 2.0 mm, 2.0 mm, 120 mm / 1 x 2.5 mm, 2.5 mm, 120 mm
	1 x roll-up bag



Multitool PocketStar



7
pcs



Hex, 7-pcs. with SB hanger

Order-No.



23041

5

- hexagon Blade 2 / hexagon Blade 2,5 / hexagon Blade 3 / hexagon Blade 4 / hexagon Blade 5 / hexagon Blade 6 / hexagon Blade 8

Multitool PocketStar



7
pcs



Hex, 7-pcs. with SB hanger

Order-No.



23037

5

- hexagon Blade 1,5 / hexagon Blade 2 / hexagon Blade 2,5 / hexagon Blade 3 / hexagon Blade 4 / hexagon Blade 5 / hexagon Blade 6

Multitool PocketStar



8
pcs



TORX®, 8-pcs. with SB hanger

Order-No.



23049

5

- TORX® Blade T9 / TORX® Blade T10 / TORX® Blade T15 / TORX® Blade T20 / TORX® Blade T25 / TORX® Blade T27 / TORX® Blade T30 / TORX® Blade T40

Screwdriver with interchangeable blade set SYSTEM 4 ESD



12
pcs



assorted 12-pcs incl. roll-up bag

Order-No.

31499 1

○	1 x Screwdriver handle SoftFinish®-telescopic ESD for SYSTEM 4 interchangeable blade
⊖ ⊖	1 x 1.5 mm, 3.0 mm, 120 mm / 1 x 2.0 mm, 3.5 mm, 120 mm / 1 x 2.5 mm, 4.0 mm, 120 mm
⊕ ⊕	1 x PH000, PH00, 120 mm / 1 x PH0, PH1, 120 mm
⊗ ⊗	1 x T6, T8, 120 mm / 1 x T7, T9, 120 mm
● ●	1 x 1.5 mm, 1.5 mm, 120 mm / 1 x 2.0 mm, 2.0 mm, 120 mm / 1 x 2.5 mm, 2.5 mm, 120 mm
	1 x roll-up bag

IEC 61340-5-1.





Screwdriver with bit magazine LiftUp electric



6
pcs



Slotted, Phillips with 6 slimBits pack in SB-cardboard packaging

Order-No.	
38612	1
⊖	1 x 2.5 mm x 75 mm / 1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm

Manufactured acc. to IEC 60900.

Phillips, PlusMinus/Pozidriv, slotted with 6 slimBits in SB-cardboard packaging

Order-No.	
38613	1
⊖	1 x 3.0 mm x 75 mm / 1 x 4.0 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊗	1 x SL/PZ2 x 75 mm

Manufactured acc. to IEC 60900.

TORX® with 6 slimBits in SB-cardboard packaging

Order-No.	
41158	1
⊗	1 x T8 x 75 mm / 1 x T9 x 75 mm / 1 x T10 x 75 mm / 1 x T15 x 75 mm / 1 x T20 x 75 mm / 1 x T25 x 75 mm

Manufactured acc. to IEC 60900.

Slotted, Pozidriv, PlusMinus/Pozidriv with 6 slimBits in SB-cardboard packaging

Order-No.	
41235	1
⊖	1 x 2.5 mm x 75 mm / 1 x 3.5 mm x 75 mm / 1 x 5.5 mm x 75 mm
⊗	1 x PZ1 x 75 mm / 1 x PZ2 x 75 mm
⊗	1 x SL/PZ2 x 75 mm

Manufactured acc. to IEC 60900.

Screwdriver with bit magazine PocketMax® electric



4
pcs



mixed with 4 slimBits

Order-No.	
45296	1
⊖	1 x 3.5 mm x 75 mm
⊕	1 x PH1 x 75 mm / 1 x PH2 x 75 mm
⊗	1 x SL/PZ2 x 75 mm

Tested according to IEC 60900.



Screwdriver with bit magazine LiftUp 25 magnetic



8
pcs

assorted with 12 bits, 1/4" in SB-cardboard packaging

Order-No.	
38605	1
⊖	1 x 4.5 mm / 1 x 6.5 mm
⊕	1 x PH1 / 1 x PH2 / 1 x PH3
⊗	1 x PZ1 / 1 x PZ2 / 1 x PZ3
⊛	1 x T15 / 1 x T20 / 1 x T25 / 1 x T30

assorted with 12 bits, 1/4" in SB-cardboard packaging

Order-No.	
38606	1
⊖	1 x 5.5 mm
⊕	1 x PH2
⊗	1 x PZ1 / 1 x PZ2 / 1 x PZ3
⊛	1 x T15 / 1 x T20 / 1 x T25 / 1 x T30
●	1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm

Screwdriver with bit magazine PocketMax® magnetic



Mixed with 8 bits, 1/4"

Order-No.	
45292	1
⊖	1 x 4.5 mm / 1 x 6.5 mm
⊕	1 x PH1 / 1 x PH2
⊗	1 x PZ1 / 1 x PZ2
⊛	1 x T15 / 1 x T20



Magnetic screwdriver Stubby with bit magazine



6
pcs



Phillips with 6 bits, slotted, 1/4"

Order-No.	
33738	5
⊖	1 x 4.5 mm / 1 x 6.5 mm / 1 x 8.0 mm
⊕	1 x PH1 / 1 x PH2 / 1 x PH3

Pozidriv, Phillips with 6 bits, 1/4"

Order-No.	
33741	5
⊕	1 x PH1 / 1 x PH2 / 1 x PH3
⊗	1 x PZ1 / 1 x PZ2 / 1 x PZ3

TORX with 6 bits, 1/4"

Order-No.	
33744	5
⊛	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40



L-keys


Difficult to access - easily solved.

Wiha L-keys are essential for all users who are faced with a screw fastening task in difficult work conditions. Wiha ball-end tools enable fastening at angles of up to 25° per side. The risk of an accident is reduced since the tool does not slip out of the screw. Screws made of steel and non-magnetic materials are securely held in any position with the Wiha MagicRing and MagicSpring. Perfect order and easy handling - the ErgoStar L-key holder provides both: Rotating a single L-key in the holder means that all other keys rotate at the same angle! Keys sitting next to each other no longer need to be disentangled. Instead, all keys are ready for removal with one turn - as fast and easy as never before.

**Exceptionally neat.
Exceptionally bright.**



L-key set in ErgoStar holder



9
pcs



hexagonal ball Magicring® 9-pcs. in luminescent colour in SB-cardboard packaging

Order-No. 


43850 5

● 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm /
1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm /
1 x 10.0 mm

1 x ErgoStar holder

Based on ISO 2936L.

L-key set in ErgoStar holder



9
pcs



Hexagonal ball end, 9-pcs. in luminescent colour in SB-cardboard packaging

Order-No. 

43849 5

● 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm /
1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm /
1 x 10.0 mm

1 x ErgoStar holder

Based on ISO 2936L.



L-key set in ErgoStar holder



9
pcs



Hexagonal ball end MagicRing®, 9-pcs., matt chrome-plated in SB-cardboard packaging

Order-No. 

43851 5

● 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm /
1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm /
1 x 10.0 mm

1 x ErgoStar holder

MagicRing® from size 3 mm.
Based on ISO 2936L.

L-key set in ErgoStar holder



9
pcs



MagicRing® hexagonal ball end, 13-pcs. in inch design, matt chrome-plated in SB-cardboard packaging

Order-No. 

43852 5

● 1 x 0,05" / 1 x 1/16" / 1 x 5/64" / 1 x 3/32" / 1 x 7/64" /
1 x 3.2 mm x 1/8" / 1 x 3.6 mm x 9/64" / 1 x 4.0 mm x
5/32" / 1 x 4.8 mm x 3/16" / 1 x 5.6 mm x 7/32" / 1 x
6.4 mm x 1/4" / 1 x 7.9 mm x 5/16" / 1 x 9.5 mm x 3/8"

1 x ErgoStar holder

Based on ASME B18.3.



L-key set in ProStar holder



9
pcs




Hexagonal ball end, 9-pcs., matt chrome-plated in SB-cardboard packaging

Order-No.	
07192	1
●	1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm
	1 x ProStar holder

MagicRing® from size 3 mm.
Based on ISO 2936L.

L-key set in Classic holder



9
pcs



Hexagonal ball end, 9-pcs. black oxidised in SB-cardboard packaging

Order-No.	
03992	1
●	1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm
	1 x Classic holder

Based on ISO 2936L.

L-key with T-handle set ComfortGrip



6
pcs



Hexagon with side drive, matt chrome-plated 6-pcs.

Order-No.	
45620	1
●	1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm

L-key with T-handle set ComfortGrip



7
pcs



Hexagon with side drive, matt chrome-plated 6-pcs. in workbench holder

Order-No.	
45621	1
●	3.0 mm / 4.0 mm / 5.0 mm / 6.0 mm / 8.0 mm / 10.0 mm
	Workbench stand

L-key with T-handle set



7
pcs

Hex in the work bench stand, 7-pcs., brilliant nickel-plated

Order-No.	
00953	1
●	1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm
	1 x Workbench stand

L-key set in ErgoStar holder



13
pcs



TORX® ball end, 13-pcs., black oxidised in SB-cardboard packaging

Order-No.	
43847	5
●	1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T27 / 1 x T30 / 1 x T40 / 1 x T45
	1 x ErgoStar holder

TORX® ball end starting from size T9

L-key set in ErgoStar holder



13
pcs



TORX® MagicSpring®, 13-pcs., black oxidised in SB-cardboard packaging

Order-No.	
43848	5
●	1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T27 / 1 x T30 / 1 x T40 / 1 x T45
	1 x ErgoStar holder

MagicSpring® from size T6

L-key set in ProStar holder



9
pcs



Hexagonal ball end, 9-pcs. in luminescent colour

Order-No.	
46555	1
●	1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm / 1 x 8.0 mm / 1 x 10.0 mm
	1 x ProStar holder

According to ISO 2936L.

L-key set in ProStar holder



9
pcs



TORX® 9 pcs. luminescent colour

Order-No.



46556

1

1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 /
1 x T27 / 1 x T30 / 1 x T40

1 x ProStar holder

L-key set in ProStar holder



13
pcs



TORX®, 13-pcs., black oxidised in SB-cardboard packaging

Order-No.



24852

1



1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 /
1 x T15 / 1 x T20 / 1 x T25 / 1 x T27 / 1 x T30 / 1 x T40 /
1 x T50

1 x ProStar holder



L-key with T-handle set ComfortGrip



6
pcs



TORX® with side drive, matt chrome-plated 6-pcs.

Order-No. 

45622 1

 1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40

L-key with T-handle set ComfortGrip



7
pcs



TORX® with side drive, matt chrome-plated 7-pcs.
in workbench holder

Order-No. 

45623 1

 T10 / T15 / T30 / T20 / T25 / T40

Workbench stand






Bits

The indispensable three.

Which machine? Which application? Which bit? The revolutionary Wiha bit concept puts an end to any confusion and presents three bit types which can cover all areas of use. Only the screw shape is crucial for selecting the bit. The Y bit is ideal for fastening wood screws with an angle no greater than 90° between the thread and screw head. The T bit is used for metal screws at a 90° angle. If you need to fasten both screw types, then the TY bit is the right choice since this universal bit is suitable for all type of fastenings. A selection of different bit holders and bit boxes such as the BitBuddy® and XLSelector ensures optimum usage of bits.

**The right bit instantly
- Which bit do I need for
this job? Is this all too
familiar to you? We're
putting an end to that!
From now on, choosing
the correct bit is a
matter of seconds.**



XLSelector T bit set, 50 mm



13
pcs



Phillips, TORX®, hex 13-pcs. 1/4" E6,3

Order-No. 

41831 6

⊕ 1 x T-Bit 50 mm Phillips 1/4" PH1 / 1 x T-Bit 50 mm Phillips 1/4" PH2 / 1 x T-Bit 50 mm Phillips 1/4" PH3

⊗ 1 x T-Bit 50 mm TORX® 1/4" T15 / 1 x T-Bit 50 mm TORX® 1/4" T20 / 1 x T-Bit 50 mm TORX® 1/4" T25 / 1 x T-Bit 50 mm TORX® 1/4" T30 / 1 x T-Bit 50 mm TORX® 1/4" T40

● 1 x T-Bit 50 mm Hexagon 1/4" 3,0 / 1 x T-Bit 50 mm Hexagon 1/4" 4,0 / 1 x T-Bit 50 mm Hexagon 1/4" 5,0 / 1 x T-Bit 50 mm Hexagon 1/4" 6,0

○ 1 x Bit holder magnetic 58 mm 1/4"

1 x XLSelector

* compared to Wiha standard bit
DIN 3126, ISO 1173 style E 6.3

XLSelector T bit set, 25 mm



13
pcs



Phillips, TORX®, hex 31-pcs. 1/4" C6,3

Order-No. 

41830 6

⊕ 2 x T-Bit 25 mm Phillips 1/4" PH1 / 4 x T-Bit 25 mm Phillips 1/4" PH2 / 2 x T-Bit 25 mm Phillips 1/4" PH3

⊗ 2 x T-Bit 25 mm TORX® 1/4" T10 / 2 x T-Bit 25 mm TORX® 1/4" T15 / 4 x T-Bit 25 mm TORX® 1/4" T20 / 2 x T-Bit 25 mm TORX® 1/4" T25 / 2 x T-Bit 25 mm TORX® 1/4" T30 / 2 x T-Bit 25 mm TORX® 1/4" T40

● 2 x T-Bit 25 mm Hexagon 1/4" 3,0 / 2 x T-Bit 25 mm Hexagon 1/4" 4,0 / 2 x T-Bit 25 mm Hexagon 1/4" 5,0 / 2 x T-Bit 25 mm Hexagon 1/4" 6,0

○ 1 x Bit holder magnetic 58 mm 1/4"

1 x XLSelector

* compared to Wiha standard bit
DIN 3126, ISO 1173 style C 6.3

FlipSelector T bit set, 25 mm



13
pcs



Phillips, Pozidriv, TORX®, 13-pcs., 1/4" C6,3

Order-No. 

41824 6

⊕ 1 x T-Bit 25 mm Phillips 1/4" PH1 / 3 x T-Bit 25 mm Phillips 1/4" PH2 / 1 x T-Bit 25 mm Phillips 1/4" PH3

⊗ 1 x T-Bit 25 mm Pozidriv 1/4" PZ2

⊗ 1 x T-Bit 25 mm TORX® 1/4" T10 / 1 x T-Bit 25 mm TORX® 1/4" T15 / 1 x T-Bit 25 mm TORX® 1/4" T20 / 1 x T-Bit 25 mm TORX® 1/4" T25 / 1 x T-Bit 25 mm TORX® 1/4" T30 / 1 x T-Bit 25 mm TORX® 1/4" T40

○ 1 x Bit holder magnetic 60 mm 1/4"extra strong magnet in box

1 x FlipSelector

* compared to Wiha standard bit
DIN 3126, ISO 1173 style C 6.3

XLSelector Y bit set, 50 mm



13
pcs



Phillips, Pozidriv, TORX®, 13-pcs., 1/4" E6,3

Order-No. 

41834 6

⊕ 2 x Y-Bit 50 mm Phillips 1/4" PH2

⊗ 1 x Y-Bit 50 mm Pozidriv 1/4" PZ1 / 2 x Y-Bit 50 mm Pozidriv 1/4" PZ2 / 1 x Y-Bit 50 mm Pozidriv 1/4" PZ3

⊗ 1 x Y-Bit 50 mm TORX® 1/4" T10 / 1 x Y-Bit 50 mm TORX® 1/4" T15 / 1 x Y-Bit 50 mm TORX® 1/4" T20 / 1 x Y-Bit 50 mm TORX® 1/4" T25 / 1 x Y-Bit 50 mm TORX® 1/4" T30 / 1 x Y-Bit 50 mm TORX® 1/4" T40

○ 1 x Bit holder magnetic 58 mm 1/4"

1 x XLSelector

* compared to Wiha standard bit
DIN 3126, ISO 1173 style E 6.3

XLSelector Y bit set, 25 mm



31
pcs



Phillips, Pozidriv, TORX®, 31-pcs., 1/4" C6,3

Order-No.	
41832	6
⊕	1 x Y-Bit 25 mm Phillips 1/4" PH1 / 4 x Y-Bit 25 mm Phillips 1/4" PH2 / 1 x Y-Bit 25 mm Phillips 1/4" PH3
⊕	2 x Y-Bit 25 mm Pozidriv 1/4" PZ1 / 4 x Y-Bit 25 mm Pozidriv 1/4" PZ2 / 2 x Y-Bit 25 mm Pozidriv 1/4" PZ3
⊕	2 x Y-Bit 25 mm TORX® 1/4" T10 / 3 x Y-Bit 25 mm TORX® 1/4" T15 / 3 x Y-Bit 25 mm TORX® 1/4" T20 / 3 x Y-Bit 25 mm TORX® 1/4" T25 / 3 x Y-Bit 25 mm TORX® 1/4" T30 / 2 x Y-Bit 25 mm TORX® 1/4" T40
○	1 x Bit holder magnetic 58 mm 1/4"
	1 x XLSelector

* compared to Wiha standard bit
DIN 3126, ISO 1173 style C 6.3

FlipSelector Y bit set, 25 mm



13
pcs



Phillips, Pozidriv, TORX®, 13-pcs., 1/4" C6,3

Order-No.	
41827	6
⊕	2 x Y-Bit 25 mm Phillips 1/4" PH2
⊕	1 x Y-Bit 25 mm Pozidriv 1/4" PZ1 / 2 x Y-Bit 25 mm Pozidriv 1/4" PZ2 / 1 x Y-Bit 25 mm Pozidriv 1/4" PZ3
⊕	1 x Y-Bit 25 mm TORX® 1/4" T10 / 1 x Y-Bit 25 mm TORX® 1/4" T15 / 1 x Y-Bit 25 mm TORX® 1/4" T20 / 1 x Y-Bit 25 mm TORX® 1/4" T25 / 1 x Y-Bit 25 mm TORX® 1/4" T30 / 1 x Y-Bit 25 mm TORX® 1/4" T40
○	1 x Bit holder magnetic 60 mm 1/4"extra strong magnet in box
	1 x FlipSelector

* compared to Wiha standard bit
DIN 3126, ISO 1173 style C 6.3



Bit set BitBuddy® TY bit 29 mm



8
pcs



TORX®, 8-pcs., 1/4" C 6.3

Order-No.	
42136	6
⊕	1 x TY-Bit 29 mm TORX® 1/4" T10 / 1 x TY-Bit 29 mm TORX® 1/4" T15 / 2 x TY-Bit 29 mm TORX® 1/4" T20 / 1 x TY-Bit 29 mm TORX® 1/4" T25 / 1 x TY-Bit 29 mm TORX® 1/4" T30 / 1 x TY-Bit 29 mm TORX® 1/4" T40
○	1 x Bit holder magnetic 60 mm 1/4"extra strong magnet in box
	1 x BitBuddy®

DIN 3126, ISO 1173 style C 6.3

BitBuddy® TY bit set, 29 mm



8
pcs



Phillips, Pozidriv, TORX®, 8-pcs., 1/4" C6,3

Order-No.	
42137	6
⊕	1 x TY-Bit 29 mm Phillips 1/4" PH2
⊕	1 x TY-Bit 29 mm Pozidriv 1/4" PZ1 / 1 x TY-Bit 29 mm Pozidriv 1/4" PZ2 / 1 x TY-Bit 29 mm Pozidriv 1/4" PZ3
⊕	1 x TY-Bit 29 mm TORX® 1/4" T15 / 1 x TY-Bit 29 mm TORX® 1/4" T20 / 1 x TY-Bit 29 mm TORX® 1/4" T25
○	1 x Bit holder magnetic 60 mm 1/4"extra strong magnet in box
	1 x BitBuddy®

DIN 3126, ISO 1173 style C 6.3

Bit set BitBuddy® TY bit 49 mm



7
pcs



TORX®, 7-pcs., 1/4" E 6.3

Order-No.	
42115	6
⊕	1 x TY-Bit 49 mm TORX® 1/4" T10 / 1 x TY-Bit 49 mm TORX® 1/4" T15 / 2 x TY-Bit 49 mm TORX® 1/4" T20 / 1 x TY-Bit 49 mm TORX® 1/4" T25 / 1 x TY-Bit 49 mm TORX® 1/4" T30 / 1 x TY-Bit 49 mm TORX® 1/4" T40
	1 x BitBuddy®

DIN 3126, ISO 1173 style E 6.3

Bit set BitBuddy® TY bit 49 mm



7
pcs



Phillips, Pozidriv, TORX®, 7-pcs., 1/4" E 6.3

Order-No.	
42116	6
⊕	1 x TY-Bit 49 mm Phillips 1/4" PH2
⊕	1 x TY-Bit 49 mm Pozidriv 1/4" PZ1 / 1 x TY-Bit 49 mm Pozidriv 1/4" PZ2 / 1 x TY-Bit 49 mm Pozidriv 1/4" PZ3
⊕	1 x TY-Bit 49 mm TORX® 1/4" T15 / 1 x TY-Bit 49 mm TORX® 1/4" T20 / 1 x TY-Bit 49 mm TORX® 1/4" T25
	1 x BitBuddy®

DIN 3126, ISO 1173 style E 6.3

Standard FlipSelector bit set, 25 mm



14
pcs



61
pcs



Slotted, Phillips, Pozidriv, 14-pcs., 1/4" C 6.3 with belt clip

Order-No.	
39049	1
⊖	1 x 5.5 mm
⊕	1 x PH1 / 3 x PH2 / 1 x PH3
⊗	1 x PZ1 / 4 x PZ2 / 1 x PZ3
○	1 x Bit holder magnetic 58 mm 1/4"
	1 x Belt clip
	1 x FlipSelector

DIN 3126, ISO 1173 style C 6.3

Standard Collector bit set, 25 mm



mixed, 61-pcs. 1/4" C 6.3 incl. box

Order-No.	
07943	5
⊖	1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm / 1 x 8.0 mm
⊕	7 x PH1 / 13 x PH2 / 3 x PH3
⊗	7 x PZ1 / 13 x PZ2 / 3 x PZ3
⊗	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40
●	1 x 3.0 mm / 1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm
○	1 x CentroFix Force bit holder, lockable 1/4", magnetic in box Holds what it promises!
	1 x Collector Box

DIN 3126, ISO 1173 style C 6.3

Phillips, Pozidriv, TORX®, 13-pcs., 1/4" with belt clip

Order-No.	
39060	1
⊕	2 x PH2
⊗	1 x PZ1 / 2 x PZ2 / 1 x PZ3
⊗	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40
○	1 x Bit holder magnetic 58 mm 1/4"
	1 x Belt clip
	1 x FlipSelector

DIN 3126, ISO 1173 style C 6.3

TORX®, 13-pcs., 1/4" C6,3 with belt clip

Order-No.	
39056	1
⊗	1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 2 x T15 / 2 x T20 / 2 x T25 / 1 x T30 / 1 x T40
○	1 x Bit holder magnetic 58 mm 1/4"
	1 x FlipSelector
	1 x Belt clip

DIN 3126, ISO 1173 style C 6.3



Standard Collector bit set, 25 mm



32
pcs



mixed, 32-pcs. 1/4" C 6.3 incl. box

Order-No.



34686

5

⊖	1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm
⊕	2 x PH1 / 5 x PH2 / 2 x PH3
⊗	2 x PZ1 / 5 x PZ2 / 2 x PZ3
⊛	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40
●	1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm
○	1 x CentroFix Force bit holder, lockable 1/4", magnetic in box Holds what it promises!
○	1 x Screwdriver with bit holder SoftFinish® magnetic 1/4"
	1 x Collector Box

DIN 3126, ISO 1173 style C 6.3

Standard bit set, 25 mm



31
pcs



mixed, 31-pcs. 1/4" C 6.3 incl. box

Order-No.



26252

10

⊖	1 x 4.5 mm / 1 x 5.5 mm / 1 x 6.5 mm
⊕	2 x PH1 / 6 x PH2 / 1 x PH3
⊗	2 x PZ1 / 6 x PZ2 / 1 x PZ3
⊛	1 x T10 / 1 x T15 / 1 x T20 / 1 x T25 / 1 x T30 / 1 x T40
●	1 x 4.0 mm / 1 x 5.0 mm / 1 x 6.0 mm
○	1 x Bit holder magnetic 58 mm 1/4"
	1 x Bit box

DIN 3126, ISO 1173 style C 6.3



ESD Micro bit set



65
pcs



mixed, 65-pcs. 4 mm C 4 incl. box

Order-No.	
39971	1
⊖	1 x 0.8 mm / 1 x 1.2 mm / 1 x 1.5 mm / 1 x 1.8 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 3.5 mm / 1 x 4.0 mm
●	1 x 0.7 mm / 1 x 0.9 mm / 2 x 1.3 mm x 0,05 / 1 x 1.5 mm / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 2 x 4.0 mm x 5/32" / 1 x 1/16" / 1 x 5/64" / 1 x 3/32" / 1 x 7/64" / 1 x 1/8" / 1 x 9/64"
⊗	1 x T3 / 1 x T4 / 1 x T5 / 1 x T6 / 1 x T7 / 1 x T8 / 1 x T9 / 1 x T10 / 1 x T15 / 1 x T20
⊙	1 x PL1 / 1 x PL2 / 1 x PL3 / 1 x PL4 / 1 x PL5 / 1 x PL6
⊕	1 x PH000 / 1 x PH00 / 1 x PH0 / 1 x PH1
○	1 x 5/64" / 1 x 3/32" / 1 x 7/64" / 1 x 1/8" / 1 x 9/64" / 1 x 5/32" / 1 x 3/16" / 1 x 7/32" / 1 x 2.0 mm / 1 x 2.5 mm / 1 x 3.0 mm / 1 x 3.5 mm / 1 x 4.0 mm / 1 x 4.5 mm / 1 x 5.0 mm / 1 x 5.5 mm
○	1 x Adapter 1/4" for micro-bits 4 mm
○	1 x Bit ratchet 90 mm with thumb wheel Hexagon head, 1/4"
○	1 x Screwdriver handle ESD for micro-bits 4 mm drive
○	1 x Extension 100 mm for micro-bits form 4 mm and Fine screwdriver ESD
	1 x Metal Box

DIN 3126, ISO 1173 style C 4



High-performance offset screwdriver with magnetic quick release holder



1/4" in blister pack

Order-No.	○	●	mm	max. Nm	SB	
32310	1/4"	1/4"	165	57.0	x	1

Drive: DIN 3126, ISO 1173, Style E6.3. Suitable for bits DIN 3126, ISO 1173, form C6.3 and E6.3

Offset screwdriver with magnetic bit holder



1/4"

Order-No.	○	●	mm	max. Nm	SB	
32311	1/4"	1/4"	130	14.0	x	1

Drive: DIN 3126, ISO 1173, Style C6.3. Suitable for bits DIN 3126, ISO 1173, form C6.3 and E6.3





Mechanical Tools

Tight fastening – easy opening.

Tightening and installation work requires many different profiles. Wiha offers the right equipment and its insulated ratchet wrench set ensures safe working in the electrical engineering sector. With the various nut driver and bit sets, as well as ring ratchet open-ended spanner sets, screw connections of all types can be easily fastened and opened. The extensive equipment range extends from a SoftFinish® screwdriver with a magnetic bit holder, various bits and bit holders, up to ratchet wrenches, extensions, and universal joints. The range is complemented by various ring ratchet open-end spanners. When it comes to flexibility and efficiency, the ratchet wrenches from Wiha are particularly distinguished by a variably selectable rotational direction as well as fine gearing with 72 teeth.

"With the ratchets and spanners from Wiha, I am simply well equipped for all screwing tasks, being for industrial assembly, heating installation or privately on my car."

Norbert Burger



Electric reversible ratchet set 1/4"



21
pcs



1/4"

20
pcs



1/2"

21 pcs. with push button and detent retaining ball
incl. bag

Order-No.



43025

1

Fastening / Jamming

- Electric reversible ratchet 1/4" with push button and detent retaining ball 145 mm (43054)
- Insulated extension 1/4" for nut driver inserts, insulated 1/4" x 75 mm (43059) / 1/4" x 150 mm (43060)
- Insulated nut driver insert 1/4" hexagon head 4.0 mm x 42 mm (43088) / 5.0 mm x 42 mm (43089) / 5.5 mm x 42 mm (10102) / 6.0 mm x 42 mm (43091) / 7.0 mm x 42 mm (10103) / 8.0 mm x 42 mm (43093) / 9.0 mm x 42 mm (10104) / 10.0 mm x 42 mm (43095) / 11.0 mm x 42 mm (43096) / 12.0 mm x 42 mm (10105) / 13.0 mm x 42 mm (43098) / 14.0 mm x 42 mm (43099)
- Insulated nut driver insert 1/4" internal hexagon 3.0 mm x 65 mm (43109) / 4.0 mm x 65 mm (43110) / 5.0 mm x 65 mm (43111) / 6.0 mm x 65 mm (43112) / 8.0 mm x 65 mm (43113)

Storage

Case empty

VDE-certified and tested in accordance with IEC 60900.

Electric reversible ratchet set 1/2"



20 pcs. with push button and detent retaining ball
incl. bag

Order-No.



43024

1

Fastening / Jamming

- T-handle insulated for nut driver (43063)
- Electric reversible ratchet 1/2" with push button and detent retaining ball 250 mm (43053)
- Insulated extension 1/2" for nut driver inserts, insulated 1/2" x 125 mm (43055) / 1/2" x 250 mm (43056)
- Insulated nut driver insert 1/2" hexagon head 10.0 mm x 55 mm (43077) / 11.0 mm x 55 mm (43078) / 12.0 mm x 55 mm (43079) / 13.0 mm x 55 mm (43080) / 14.0 mm x 55 mm (43081) / 17.0 mm x 55 mm (43082) / 19.0 mm x 55 mm (43083) / 22.0 mm x 55 mm (43084) / 24.0 mm x 55 mm (43085) / 27.0 mm x 55 mm (43086) / 32.0 mm x 55 mm (43087)
- Insulated nut driver insert 1/2" hexagon head 4.0 mm x 120 mm (43100) / 5.0 mm x 120 mm (43101) / 6.0 mm x 120 mm (43102) / 8.0 mm x 120 mm (43103) / 10.0 mm x 120 mm (43104)

Storage

Case empty

VDE-certified and tested in accordance with IEC 60900.

Electric reversible ratchet set 3/8"



20
pcs



3/8"

20 pcs. with push button and detent retaining ball
incl. bag

Order-No.



43023

1


Fastening / Jamming

- ☐ T-handle insulated for nut driver (43062)
- ☒ Electric reversible ratchet 3/8" with push button and detent retaining ball 200 mm (43052)
- ☒ Insulated extension 3/8" for nut driver inserts, insulated 125 mm (43057)
- ☒ Insulated extension 3/8" for nut driver inserts, insulated 250 mm (43058)
- ☐ Insulated nut driver insert 3/8" hexagon head 8.0 mm x 45 mm (43065) / 10.0 mm x 45 mm (43066) / 11.0 mm x 45 mm (43067) / 12.0 mm x 45 mm (43068) / 13.0 mm x 45 mm (43069) / 14.0 mm x 45 mm (43070) / 16.0 mm x 45 mm (43071) / 17.0 mm x 45 mm (43072) / 18.0 mm x 45 mm (43073) / 19.0 mm x 45 mm (43074) / 21.0 mm x 47 mm (43075) / 22.0 mm x 47 mm (43076)
- ☒ Insulated nut driver insert 3/8" hexagon head 4.0 mm x 75 mm (43105) / 5.0 mm x 75 mm (43106) / 6.0 mm x 75 mm (43107) / 8.0 mm x 75 mm (43108)

Storage

Case empty

VDE-certified and tested in accordance with IEC 60900.



Nut driver and bit set 1/4" and 1/2"



60
pcs



1/2"

1/4"



60 pcs. in L Boxx

Order-No.

44685



1

Fastening / Jamming

Reversible ratchet 1/4" with push button and detent retaining ball 135 mm (45626)

Reversible ratchet 1/2" with push button and detent retaining ball 250 mm (45627)

- Nut driver insert 1/4" hexagon head 4.0 mm x 25 mm (44669) / 5.0 mm x 25 mm (44670) / 5.5 mm x 25 mm (44671) / 6.0 mm x 25 mm (44672) / 7.0 mm x 25 mm (44673) / 8.0 mm x 25 mm (44674) / 9.0 mm x 25 mm (44675) / 10.0 mm x 25 mm (44676) / 11.0 mm x 25 mm (44678) / 12.0 mm x 25 mm (44679) / 13.0 mm x 25 mm (44680) / 14.0 mm x 25 mm (44681)
- Nut driver insert 1/2" double hex 10.0 mm x 38 mm (44715) / 11.0 mm x 38 mm (44716) / 12.0 mm x 38 mm (44717) / 13.0 mm x 38 mm (44718) / 14.0 mm x 38 mm (44719) / 15.0 mm x 38 mm (44720) / 16.0 mm x 38 mm (44721) / 17.0 mm x 38 mm (44722) / 18.0 mm x 38 mm (44723) / 19.0 mm x 38 mm (44724) / 21.0 mm x 38 mm (44726) / 22.0 mm x 38 mm (44727) / 24.0 mm x 40 mm (44729) / 27.0 mm x 44 mm (44732) / 30.0 mm x 44 mm (44735) / 32.0 mm x 44 mm (44737) / 34.0 mm x 46 mm (44738)
- Extension 1/4" for nut driver inserts 75 mm (44667) / 150 mm (44668)
- Extension 1/2" for nut driver inserts 150 mm (44711) / 250 mm (44712)
- Universal joint with ball Internal square, square head 1/4" (44682) / 1/2" (44739)
- Screwdriver with bit holder SoftFinish® magnetic 1/4" 112 mm (32160)
- CentroFix Force bit holder, lockable 1/4", magnetic in box Holds what it promises! 60 mm (39133)
- ⊖ Bit Standard 25 mm Slotted 1/4" C6,3 4.5 mm (01623) / 5.5 mm (01624) / 6.5 mm (01626)
- ⊕ Bit Standard 25 mm Phillips 1/4" C6,3 PH1 (01657) / PH2 (01658)
- ⊕ Bit Standard 25 mm Pozidriv 1/4" C6,3 PZ1 (01688) / PZ2 (01689) / PZ3 (01690)
- ⊕ Bit Standard 25 mm TORX® 1/4" C6,3 T10 (01716) / T15 (01717) / T20 (01718) / T25 (01719) / T27 (01720) / T30 (01721) / T40 (01722)
- ⊕ Bit Standard 25 mm Hexagon 1/4" C6,3 3.0 mm (01705) / 4.0 mm (01706) / 5.0 mm (01707) / 6.0 mm (01708)
- ⊕ Tool shaft with ball Square, Internal hexagon 1/4" C6,3 (01933)
- Bit adapter 1/4"

Storage

L-BOXX

Based on DIN 3120 / 3122 / 3123 / 3124

41
pcs

41 pcs. incl. functional bag with belt clip

Order-No.



44684

1

Fastening / Jamming

Reversible ratchet 1/4" with push button and detent retaining ball 135 mm (45626)

- Nut driver insert 1/4" hexagon head 4.0 mm x 25 mm (44669) / 4.5 mm x 25 mm (44677) / 5.0 mm x 25 mm (44670) / 5.5 mm x 25 mm (44671) / 6.0 mm x 25 mm (44672) / 7.0 mm x 25 mm (44673) / 8.0 mm x 25 mm (44674) / 9.0 mm x 25 mm (44675) / 10.0 mm x 25 mm (44676) / 11.0 mm x 25 mm (44678) / 12.0 mm x 25 mm (44679) / 13.0 mm x 25 mm (44680) / 14.0 mm x 25 mm (44681)
- ▣ Extension 1/4" for nut driver inserts 75 mm (44667) / 150 mm (44668)
- ▣ Universal joint with ball Internal square, square head 1/4" (44682)
- Screwdriver with bit holder SoftFinish® magnetic 1/4" 112 mm (32160)
- CentroFix Force bit holder, lockable 1/4", magnetic in box Holds what it promises! 60 mm (39133)
- ⊖ Bit Standard 25 mm Slotted 1/4" C6,3 4.5 mm (01623) / 5.5 mm (01624) / 6.5 mm (01626)
- ⊕ Bit Standard 25 mm Phillips 1/4" C6,3 PH1 (01657) / PH2 (01658)
- ⊕ Bit Standard 25 mm Pozidriv 1/4" C6,3 PZ1 (01688) / PZ2 (01689) / PZ3 (01690)
- ⊗ Bit Standard 25 mm TORX® 1/4" C6,3 T10 (01716) / T15 (01717) / T20 (01718) / T25 (01719) / T27 (01720) / T30 (01721) / T40 (01722)
- Bit Standard 25 mm Hexagon 1/4" C6,3 3.0 mm (01705) / 4.0 mm (01706) / 5.0 mm (01707) / 6.0 mm (01708)
- Tool shaft with ball Square, Internal hexagon 1/4" C6,3 (01933)
- Connector with retaining ring Hexagon head, Square head G 6.3 + G 10 + G 12.5 1/4 (01924)

Storage

Tool Belt Pouch

Based on DIN 3120 / 3122 / 3123 / 3124



Ring ratchet open-ended spanner set



12
pcs



12 pcs. switchable in holder

Order-No.



44661

1

Fastening / Jamming

Ring ratchet open-end spanner Switchable 8 mm x 8 mm (44641) / 9 mm x 9 mm (44642) / 10 mm x 10 mm (44644) / 11 mm x 11 mm (44645) / 12 mm x 12 mm (44646) / 13 mm x 13 mm (44647) / 14 mm x 14 mm (44648) / 15 mm x 15 mm (44789) / 16 mm x 16 mm (44649) / 17 mm x 17 mm (44650) / 18 mm x 18 mm (44651) / 19 mm x 19 mm (44652)

Various

holder

Based on DIN 3113

Ring ratchet open-ended spanner set



12
pcs



12 pcs. in holder

Order-No.



44665

1

Fastening / Jamming

Ring ratchet open-end spanner 8 mm x 8 mm (44638) / 9 mm x 9 mm (44639) / 10 mm x 10 mm (44640) / 11 mm x 11 mm (44643) / 12 mm x 12 mm (44653) / 13 mm x 13 mm (44654) / 14 mm x 14 mm (44655) / 15 mm x 15 mm (44656) / 16 mm x 16 mm (44657) / 17 mm x 17 mm (44658) / 18 mm x 18 mm (44659) / 19 mm x 19 mm (44660)

Various

holder

Based on DIN 3113



Double open-end spanner set



12
pcs



6
pcs



12 pcs. in holder

Order-No.



44753

1

Fastening / Jamming

Double open-end spanner set 6 mm x 7 mm (44741) /
8 mm x 9 mm (44742) / 10 mm x 11 mm (44743) /
12 mm x 13 mm (44744) / 14 mm x 15 mm (44745) /
16 mm x 17 mm (44746) / 18 mm x 19 mm (44747) /
20 mm x 22 mm (44748) / 21 mm x 23 mm (44749) /
24 mm x 27 mm (44750) / 25 mm x 28 mm (44849) /
30 mm x 32 mm (44752)

Various

holder

Based on DIN 3110



Color-coded nut driver set magnetic, 150 mm

NEW



6 pcs. 1/4"

Order-No.



47035

1



5,5 mm, green / 6,0 mm, blue / 7,0 mm, magenta /
8,0 mm, red / 10,0 mm, yellow / 13,0 mm, brown



Double ring ratchet wrench 4in1



with push button and detent retaining ball

Order-No.	A	B											
45421	28	35	17	19	10	13	silver	matt chrom	15	18	225	1	

Reversible ratchet 1/2"



with push button and detent retaining ball

Order-No.							
45627	1/2"	red / black	matt chrom	250	x	1	



Reversible ratchet 1/4"



with push button and detent retaining ball


Order-No.						
45626	1/4"	red / black	matt chromated	135	x	1

Reversible ratchet 3/8"



with push button and detent retaining ball

Order-No.						
45625	3/8"	red / black	matt chromated	175	x	1






Pliers

A cut above the rest for your health.

Wiha pliers combine high-quality materials with ergonomic comfort. Precise interaction between the joints and the exact workmanship of the blades and gripping surfaces ensure optimum functionality. Ergonomically designed and crafted to a high quality standard, they are comfortable to use, causing less body fatigue and thus making work more efficient. The "OptiGrip" triple-point support design for combination and high-leverage combination pliers ensure an optimum, secure hold when handled. The circlip pliers from the Classic Series with their MagicTips® precision tips made of high-performance steel provide added safety and stability. Wiha also supplies suitable tools for stripping, skinning and crimping.

"Thanks to the multifunctional pliers 8in1 from Wiha I can carry out almost all work steps of installing an electrical socket with a single tool. This makes my individual work steps quick and efficient while saving space in my tool bag."

Timo Schweitzer



Pliers set Professional electric



3
pcs



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Order-No.	📦
26852	1

Trimming / cutting

- ✂ Professional electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43335)

Supplying / holding

- Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (26708)
- Needle nose pliers Professional electric with cutting edge straight shape 200 mm, 8" (26727)

Manufactured acc. to IEC 60900.
Combination pliers DIN ISO 5746
Gripping and cutting pliers: DIN ISO 5749 and DIN ISO 5745
Tested according to IEC 60900.

Pliers set Industrial electric



3
pcs



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Order-No.	📦
38637	1

Trimming / cutting

- ✂ Industrial electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43336)

Supplying / holding

- Industrial electric combination pliers with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (33186)
- Industrial electric needle nose pliers with cutting edge straight shape 200 mm, 8" (33178)

Combination pliers DIN ISO 5746
Gripping and cutting pliers: DIN ISO 5749 and DIN ISO 5745
Tested according to IEC 60900.



Multifunctional pliers 8in1 Industrial electric



with switchable opening spring

Order-No.	mm	mm	mm	mm ²	AWG	mm ²	Crimp mm ²	Crimp AWG	SB	
45705	225	9"	3.3	0.75 - 2.5	20 - 14	50	0.5 - 2.5	14 - 21	x	5

Installation pliers TriCut Professional electric



Order-No.	mm	mm	mm	mm ²	AWG	mm ²	Crimp mm ²	Crimp AWG	SB	
38853	170	7"	13	1.6	1.5 - 2.5	9 - 12.5	x	5		

Manufactured acc. to IEC 60900.



High-performance diagonal cutters BiCut® Professional with DynamicJoint®



Switchable

Order-No.	mm	in	Scissors	Ø mm	SB	Grid
38984	200	8"	21	3	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Industrial electric heavy-duty diagonal cutters with DynamicJoint®



with switchable opening spring

Order-No.	mm	in	Scissors	Ø mm	SB	Grid
41330	200	8"	19	2.8	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Professional electric diagonal cutters with DynamicJoint®



Order-No.	mm	in	Scissors	Ø mm	SB	Grid
43458	160	6 1/2"	16	2	x	5
43463	180	7"	17	2.3	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Cable cutter Professional electric



with switchable opening spring

Order-No.	mm	in	Scissors	mm²	SB	Grid
43664	180	7"	4	50	x	5
43666	210	8 1/4"	5	60	x	5

Manufactured acc. to IEC 60900.

Stripping diagonal cutters Professional electric with DynamicJoint®



Order-No.	mm	in	Scissors	Ø mm	mm²	SB	Grid
27431	160	6 1/2"	13	1.6	1.5 - 2.5	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Combination pliers Professional electric with DynamicJoint® and OptiGrip



with extra long cutting edge

Order-No.	mm	in	Scissors	Ø mm	SB	Grid
27418	180	7"	16	1.8	x	5

Manufactured acc. to IEC 60900, DIN ISO 5746.

Cable cutter electric

NEW



up to 300 mm² with ratchet principle

Order-No.	mm	in	mm ²	Ø mm	Ø MCM	SB	
46674	275	10"	300	34	600	x	1

Manufactured acc. to IEC 60900.

Cable cutter electric

NEW



up to 500 mm² with ratchet principle

Order-No.	mm	in	mm ²	Ø mm	Ø MCM	SB	
46675	300	12"	500	62	1000	x	1

Manufactured acc. to IEC 60900.



Needle nose pliers Professional electric



with cutting edge straight shape

Order-No.	mm	in		Ø mm	SB	
27422	160	6 1/2"	16	1.2	x	5
27423	200	8"	17	1.6	x	5

Manufactured acc. to IEC 60900. DIN ISO 5745.

Needle nose pliers Professional electric



with cutting edge curved shape, approx. 40°

Order-No.	mm	in		Ø mm	SB	
27425	200	8"	17	1.6	x	5

Manufactured acc. to IEC 60900. DIN ISO 5745.


Professional electric water pump pliers



with push button adjustment

Order-No.	mm	in			SB	
38632	250	10"	2"	50	x	5

Manufactured acc. to IEC 60900.



Pliers wrench Professional electric



Order-No.	mm				
29761	250	10"	46	x	5

DIN ISO 9654.

Stripping tool



up to 16 mm²

Order-No.	mm		mm²	AWG		
42062	200	8"	0.03 - 16	32 - 5	x	1

Stripping pliers Professional electric



Order-No.	mm		mm²	AWG	Ø mm		
27437	160	6 1/2"	0 - 10	34 - 8	5	x	5



Stripping tool with self-rotating drag blade



for round cable

Order-No.	mm	"	Ø mm	SB	
44240	130	5 1/8"	4 - 28	x	1

Stripping multi-tool



for round cable

Order-No.	mm	"	mm²	AWG	SB	
44242	125	5"	0.5 - 6	20 - 10	x	1

Stripping and assembly tool



for coaxial cable with F-connector

Order-No.	mm	"	Ø mm	SB	
44241	125	5"	6 - 8	x	1

Crimp tool



for MC4 connectors

Order-No.	mm	Crimp mm²	Crimp AWG	SB	
45796	250	2.5 - 6	14 - 10	x	1



Crimp tool automatic



Auto
adjust

for wire-end sleeves hex crimping

Order-No.	mm	Crimp mm ²	Crimp AWG	SB	
41246	210	0.08 - 16	28 - 5	x	1

For processing twin sleeves and wire-end sleeves with or without insulating collar as per DIN 46228 & EN 50027

Crimping tools



Auto
adjust

for insulated cable eyes and contacts 0,5 - 6,0 mm²

Order-No.	mm	Crimp mm ²	Crimp AWG	SB	
45957	220	0.5 - 6	20 - 10	x	1



Craftsman's cutters



4 in 1

with crimp function

Order-No.	mm	mm ²	SB	
41923	160	50	x	5



Hacksaw electric



insulated with three saw blades 150 mm

Order-No.		mm		
43125	150	280	x	1

Manufactured acc. to IEC 60900.

High-performance diagonal cutters BiCut® Industrial with DynamicJoint®



Switchable

Order-No.	mm			Ø mm		
38982	200	8"	21	3	x	5

DIN ISO 5749.



Heavy-duty diagonal cutters Industrial with DynamicJoint®



with switchable opening spring

Order-No.	mm	"		Ø mm	SB	
41327	200	8"	19	2.8	x	5

DIN ISO 5749.

Combination pliers Industrial with DynamicJoint® and OptiGrip



with extra long cutting edge

Order-No.	mm	"		Ø mm	SB	
34307	180	7"	16	1.8	x	5

DIN ISO 5746.

Industrial diagonal cutters with DynamicJoint®



Order-No.	mm	"		Ø mm	SB	
43456	160	6 1/2"	17	2	x	5
43461	180	7"	18	2.3	x	5

DIN ISO 5749.

Water pump pliers Industrial



with push button

Order-No.	mm	"			SB	
34518	250	10"	2"	50 mm	x	5

DIN ISO 8976.



Pliers set Classic



3
pcs



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Order-No.



26850

1

Supplying / holding

Combination pliers Classic with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (10335)



Classic needle nose pliers with cutting edge straight shape 160 mm, 6 1/2" (26718)

Cutting / Gripping



Diagonal cutters Classic with DynamicJoint® 160 mm, 6 1/2" (43332)

Combination pliers DIN ISO 5746

Gripping and cutting pliers: DIN ISO5749 and DIN ISO 5745

Pliers set Classic with MagicTips®



4
pcs



Circlip pliers 4-pcs.

Order-No.



34708

1

Install retaining rings



Circlip pliers Classic with MagicTips® for inner rings (holes), straight J 1, 140 mm (34689) / J 2, 180 mm (10340)



Circlip pliers Classic with MagicTips® for outer rings (shafts), straight A 1, 140 mm (34699) / A 2, 185 mm (34700)

with safety latching function MagicTips®
DIN 5256 C, DIN 5254 A.



Pliers wrench Classic



Order-No.	mm	"	mm	SB	
29759	250	10"	46 mm	x	5

SMD tweezer set Professional ESD



5
pcs



assorted 5-pcs. incl. box

Order-No.	
32349	1

Supplying / holding

Universal tweezers Professional ESD Type AA AA, 130 mm (32318)

Precision tweezers Professional ESD Type PSF PSF, 130 mm (32325)

SMD tweezers Professional ESD Type 13 13, 120 mm (32340)

SMD tweezers Professional ESD Type 59 59, 117 mm (32344)

Storage

Box

IEC 61340-5-1

Electronic diagonal cutters



wide, pointed head without bevelled edge

Order-No.	mm	"		mm	SB	
27391	130	5 1/2"	3	1.3	x	5

DIN ISO 9654.

Electronic diagonal cutters



very narrow, pointed head without bevelled edge

Order-No.	mm	"		mm	SB	
27388	128	5 1/8"	2	0.8	x	5

DIN ISO 9654.




Pliers

A cut above the rest for your health.

Wiha pliers combine high-quality materials with ergonomic comfort. Precise interaction between the joints and the exact workmanship of the blades and gripping surfaces ensure optimum functionality. Ergonomically designed and crafted to a high quality standard, they are comfortable to use, causing less body fatigue and thus making work more efficient. The "OptiGrip" triple-point support design for combination and high-leverage combination pliers ensure an optimum, secure hold when handled. The circlip pliers from the Classic Series with their MagicTips® precision tips made of high-performance steel provide added safety and stability. Wiha also supplies suitable tools for stripping, skinning and crimping.

"Thanks to the multifunctional pliers 8in1 from Wiha I can carry out almost all work steps of installing an electrical socket with a single tool. This makes my individual work steps quick and efficient while saving space in my tool bag."

Timo Schweitzer



Pliers set Professional electric



3
pcs



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Order-No.	
26852	1

Trimming / cutting

- Professional electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43335)

Supplying / holding

- Combination pliers Professional electric with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (26708)
- Needle nose pliers Professional electric with cutting edge straight shape 200 mm, 8" (26727)

Manufactured acc. to IEC 60900.
Combination pliers DIN ISO 5746
Gripping and cutting pliers: DIN ISO 5749 and DIN ISO 5745
Tested according to IEC 60900.

Pliers set Industrial electric



3
pcs



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Order-No.	
38637	1

Trimming / cutting

- Industrial electric diagonal cutters with DynamicJoint® 160 mm, 6 1/2" (43336)

Supplying / holding

- Industrial electric combination pliers with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (33186)
- Industrial electric needle nose pliers with cutting edge straight shape 200 mm, 8" (33178)

Combination pliers DIN ISO 5746
Gripping and cutting pliers: DIN ISO 5749 and DIN ISO 5745
Tested according to IEC 60900.



Multifunctional pliers 8in1 Industrial electric



with switchable opening spring

Order-No.	mm	mm	mm	mm ²	AWG	mm ²	Crimp mm ²	Crimp AWG	SB	mm
45705	225	9"	3.3	0.75 - 2.5	20 - 14	50	0.5 - 2.5	14 - 21	x	5

Installation pliers TriCut Professional electric



Order-No.	mm	mm	mm	mm ²	AWG	mm ²	Crimp mm ²	Crimp AWG	SB	mm
38853	170	7"	13	1.6	1.5 - 2.5	9 - 12.5	x	5		

Manufactured acc. to IEC 60900.



High-performance diagonal cutters BiCut® Professional with DynamicJoint®



Switchable

Order-No.	mm	in	Scissors	Ø mm	SB	Grid
38984	200	8"	21	3	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Industrial electric heavy-duty diagonal cutters with DynamicJoint®



with switchable opening spring

Order-No.	mm	in	Scissors	Ø mm	SB	Grid
41330	200	8"	19	2.8	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Professional electric diagonal cutters with DynamicJoint®



Order-No.	mm	in	Scissors	Ø mm	SB	Grid
43458	160	6 1/2"	16	2	x	5
43463	180	7"	17	2.3	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Cable cutter Professional electric



with switchable opening spring

Order-No.	mm	in	Scissors	mm²	SB	Grid
43664	180	7"	4	50	x	5
43666	210	8 1/4"	5	60	x	5

Manufactured acc. to IEC 60900.

Stripping diagonal cutters Professional electric with DynamicJoint®



Order-No.	mm	in	Scissors	Ø mm	mm²	SB	Grid
27431	160	6 1/2"	13	1.6	1.5 - 2.5	x	5

Manufactured acc. to IEC 60900, DIN ISO 5749.

Combination pliers Professional electric with DynamicJoint® and OptiGrip



with extra long cutting edge

Order-No.	mm	in	Scissors	Ø mm	SB	Grid
27418	180	7"	16	1.8	x	5

Manufactured acc. to IEC 60900, DIN ISO 5746.

Cable cutter electric

NEW



up to 300 mm² with ratchet principle

Order-No.	mm	in	mm ²	Ø mm	Ø MCM	SB	
46674	275	10"	300	34	600	x	1

Manufactured acc. to IEC 60900.

Cable cutter electric

NEW



up to 500 mm² with ratchet principle

Order-No.	mm	in	mm ²	Ø mm	Ø MCM	SB	
46675	300	12"	500	62	1000	x	1

Manufactured acc. to IEC 60900.



Needle nose pliers Professional electric



with cutting edge straight shape

Order-No.	mm	in		Ø mm	SB	
27422	160	6 1/2"	16	1.2	x	5
27423	200	8"	17	1.6	x	5

Manufactured acc. to IEC 60900. DIN ISO 5745.

Needle nose pliers Professional electric



with cutting edge curved shape, approx. 40°

Order-No.	mm	in		Ø mm	SB	
27425	200	8"	17	1.6	x	5

Manufactured acc. to IEC 60900. DIN ISO 5745.


Professional electric water pump pliers



with push button adjustment

Order-No.	mm	in			SB	
38632	250	10"	2"	50	x	5

Manufactured acc. to IEC 60900.



Pliers wrench Professional electric



Order-No.	mm				
29761	250	10"	46	x	5

DIN ISO 9654.

Stripping tool



up to 16 mm²

Order-No.	mm		mm²	AWG		
42062	200	8"	0.03 - 16	32 - 5	x	1

Stripping pliers Professional electric



Order-No.	mm		mm²	AWG	Ø mm		
27437	160	6 1/2"	0 - 10	34 - 8	5	x	5



Stripping tool with self-rotating drag blade



for round cable

Order-No.	mm	"	Ø mm	SB	
44240	130	5 1/8"	4 - 28	x	1

Stripping multi-tool



for round cable

Order-No.	mm	"	mm²	AWG	SB	
44242	125	5"	0.5 - 6	20 - 10	x	1

Stripping and assembly tool



for coaxial cable with F-connector

Order-No.	mm	"	Ø mm	SB	
44241	125	5"	6 - 8	x	1

Crimp tool



for MC4 connectors

Order-No.	mm	Crimp mm²	Crimp AWG	SB	
45796	250	2.5 - 6	14 - 10	x	1



Crimp tool automatic



Auto
adjust

for wire-end sleeves hex crimping

Order-No.	mm	Crimp mm ²	Crimp AWG	SB	
41246	210	0.08 - 16	28 - 5	x	1

For processing twin sleeves and wire-end sleeves with or without insulating collar as per DIN 46228 & EN 50027

Crimping tools



Auto
adjust

for insulated cable eyes and contacts
0,5 - 6,0 mm²

Order-No.	mm	Crimp mm ²	Crimp AWG	SB	
45957	220	0.5 - 6	20 - 10	x	1



Craftsman's cutters



4 in 1

with crimp function

Order-No.	mm	mm ²	SB	
41923	160	50	x	5



Hacksaw electric



insulated with three saw blades 150 mm

Order-No.		mm		
43125	150	280	x	1

Manufactured acc. to IEC 60900.

High-performance diagonal cutters BiCut® Industrial with DynamicJoint®



Switchable

Order-No.	mm			Ø mm		
38982	200	8"	21	3	x	5

DIN ISO 5749.



Heavy-duty diagonal cutters Industrial with DynamicJoint®



with switchable opening spring

Order-No.	mm	"		Ø mm	SB	
41327	200	8"	19	2.8	x	5

DIN ISO 5749.

Combination pliers Industrial with DynamicJoint® and OptiGrip



with extra long cutting edge

Order-No.	mm	"		Ø mm	SB	
34307	180	7"	16	1.8	x	5

DIN ISO 5746.

Industrial diagonal cutters with DynamicJoint®



Order-No.	mm	"		Ø mm	SB	
43456	160	6 1/2"	17	2	x	5
43461	180	7"	18	2.3	x	5

DIN ISO 5749.

Water pump pliers Industrial



with push button

Order-No.	mm	"			SB	
34518	250	10"	2"	50 mm	x	5

DIN ISO 8976.



Pliers set Classic



3
pcs



Combination pliers, needle nose pliers, diagonal cutters 3-pcs.

Order-No.



26850

1

Supplying / holding

Combination pliers Classic with DynamicJoint® and OptiGrip with extra long cutting edge 180 mm, 7" (10335)



Classic needle nose pliers with cutting edge straight shape 160 mm, 6 1/2" (26718)

Cutting / Gripping



Diagonal cutters Classic with DynamicJoint® 160 mm, 6 1/2" (43332)

Combination pliers DIN ISO 5746

Gripping and cutting pliers: DIN ISO5749 and DIN ISO 5745

Pliers set Classic with MagicTips®



4
pcs



Circlip pliers 4-pcs.

Order-No.



34708

1

Install retaining rings



Circlip pliers Classic with MagicTips® for inner rings (holes), straight J 1, 140 mm (34689) / J 2, 180 mm (10340)



Circlip pliers Classic with MagicTips® for outer rings (shafts), straight A 1, 140 mm (34699) / A 2, 185 mm (34700)

with safety latching function MagicTips®
DIN 5256 C, DIN 5254 A.



Pliers wrench Classic



Order-No.	mm	"	mm	SB	
29759	250	10"	46 mm	x	5

SMD tweezer set Professional ESD



5
pcs



assorted 5-pcs. incl. box

Order-No.	
32349	1

Supplying / holding

Universal tweezers Professional ESD Type AA AA, 130 mm (32318)

Precision tweezers Professional ESD Type PSF PSF, 130 mm (32325)

SMD tweezers Professional ESD Type 13 13, 120 mm (32340)

SMD tweezers Professional ESD Type 59 59, 117 mm (32344)

Storage

Box

IEC 61340-5-1

Electronic diagonal cutters



wide, pointed head without bevelled edge

Order-No.	mm	"		mm	SB	
27391	130	5 1/2"	3	1.3	x	5

DIN ISO 9654.

Electronic diagonal cutters



very narrow, pointed head without bevelled edge

Order-No.	mm	"		mm	SB	
27388	128	5 1/8"	2	0.8	x	5

DIN ISO 9654.



Striking and measuring tools.

Optimum force transmission.

With optimally uniform weight distribution, the Wiha electric hammer strikes a perfect balance and is also eminently suitable for use in confined working environments. Removing nails and nail clamps as well as fixing cables and dowels into position without causing damage become extremely simple tasks. Wiha's scaled impact screwdriver blade ensures that the portable dowel racket makes a perfectly dimensioned dowel hole to the required depth anywhere at any time without making a mess, unlike power tools. Wiha measuring tools prove to be further dependable helpers during electrical installation work. The Wiha electrician's spirit level allows users to easily mark spaces for up to four flush boxes. This spirit level stands out due to its effortless dimension measurement and perfectly visible bubbles.

"The Wiha spirit level is a big hit! I can see the bubbles perfectly even when taking measurements above my head."

Ralf Kästle



Soft-faced hammer set "Safety"



with assorted hammer faces, 9-pcs. incl. box

Order-No.



44008

1

1 x Soft-faced hammer „Safety“ medium soft/hard with hickory wooden handle, round hammer face

1 x Face soft round for soft-faced hammer „safety“

1 x Face medium-soft round for soft-faced hammer „safety“

2 x Face medium-hard round for soft-faced hammer „safety“

1 x Face hard round for soft-faced hammer „safety“

1 x Face very hard round for soft-faced hammer „safety“



1 x 6.0 mm

1 x Metal Box

GS tested.



Soft-faced hammer "Safety" medium soft/hard



with hickory wooden handle, round hammer face

Order-No.	●↓	📏	mm	g	🏠
26653	30	87	290	272	5
26654	40	110	325	620	5

GS tested.

Soft-faced hammer "Safety" medium soft/hard



with hickory wooden handle, round hammer face

Order-No.	●↓	📏	mm	g	🏠
26611	30	87	290	306	5

GS tested.



Soft-faced hammer FibreBuzz® dead-blow, very hard



with replaceable hammer face

Order-No.	●↓	g	📦
44598	40	730	1

GS standard acc. to DIN 5134

Soft-faced hammer dead-blow



with hickory wooden handle, round hammer face

Order-No.					
02093	30	115	350	436	5
02097	50	135	385	1085	2
02098	60	165	420	1710	2

GS tested.

Sledgehammer no recoil, medium hard



with hickory wooden handle, round hammer face

Order-No.					
02101	80	205	880	4580	2

GS tested.



Electrician's hammer



with 300 g hammer head

Order-No.		mm	g	SB	
42071	23.9	283	500	x	4

Electrician's spirit level



40 cm

Order-No.	mm	g	SB	
42074	400	300	x	1

Dowel racket set SoftFinish®



with 6 mm round blade and 4 dowels

Order-No.	
41289	1
1 x Dowel racket	
2 x 30 mm dowel / 2 x 40 mm dowel	



Electrician's Longlife® folding ruler, 2 m



metric, 10 segments

Order-No.		
42068	15 orange 135	10

Folding ruler LongLife Plus Composite 2 m



metric, 10 segments

Order-No.		
37067	15 red / black 124	10

Wiha Order number register

Order no.	Page	Order no.	Page	Order no.	Page	Order no.	Page
00		29759	127	41231	58	43465	33
00833	63	29761	121	41232	59	43613	82
00834	62	3		41233	59	43664	118
00953	93	31499	86	41235	81	43666	118
0		32310	103	41245	62	43707	69
01034	66	32311	103	41246	123	43847	93
01299	66	32349	127	41286	50	43848	93
02093	132	33738	83	41289	133	43849	90
02097	132	33741	83	41327	125	43850	90
02098	132	33744	83	41330	118	43851	91
02101	132	33969	34	41479	73	43852	91
02568	68	34307	125	41824	98	43879	32
03591	84	34518	125	41827	99	43895	82
03988	69	34614	74	41830	98	43898	76
03992	92	34686	102	41831	98	44	
07152	65	34708	126	41832	99	44008	130
07153	65	35389	62	41834	98	44129	19
07155	65	36068	58	41923	123	44240	122
07192	92	36389	34	42		44241	122
07943	101	36455	62	42062	121	44242	122
2		36558	62	42068	133	44318	42
21250	67	36791	72	42071	133	44574	35
23037	85	37067	133	42074	133	44598	132
23041	85	38074	73	42115	100	44661	110
23049	85	38362	62	42116	100	44665	110
24852	94	38605	83	42136	100	44684	109
25477	63	38606	83	42137	100	44685	108
26252	102	38612	81	42989	64	44753	111
26611	131	38613	81	42990	67	45	
26653	131	38632	120	42991	68	45292	83
26654	131	38637	116	42997	67	45296	81
26850	126	38853	117	43		45421	112
26852	116	38982	124	43023	107	45528	29
26893	74	38984	118	43024	106	45529	31
26920	68	39049	101	43025	106	45620	92
27388	127	39056	101	43125	124	45621	92
27391	127	39060	101	43153	61	45622	95
27418	118	39971	103	43156	61	45623	95
27422	120	40		43159	61	45625	113
27423	120	40523	25	43161	60	45626	113
27425	120	40674	72	43162	60	45627	112
27431	118	41		43167	60	45705	117
27437	121	41002	65	43456	125	45734	19
27820	84	41003	61	43458	118	45791	43
29234	74	41158	81	43461	125	45795	21
29466	64	41230	59	43463	118	45796	122

Wiha Order number register

Order no.	Page
45802	37
45804	61
45957	123
46	
46555	93
46556	94
46674	119
46675	119
46816	23
46960	80
47	
47035	111
47197	75
47198	75



Legend

Drives

	Triangular nut
	Hexagon head
	Square nut
	Internal hexagon
	Internal hexagon with drill hole (tamper-resistant)
	Tamper Resistant hex
	Countersink
	Combination drill bit
	Pentalobe PL
	Y-type
	Phillips PH (cross-recessed)
	Pozidriv PZ (Phillips)
	Internal square
	Round tip
	Slotted
	Slotted nut
	SIT
	Spanner
	Twist drill
	Sliding sleeve
	Torq-Set®
	TORX®
	TORX® with drill hole (tamper-resistant)
	TORX PLUS®
	Tri-Wing®
	Multitooth
	Square reaming blade
	Xeno SL/PZ

Drives

	Square nut
	Square
	G7 drive system
	Threaded connector
	SDS-Plus®
	Square nut

Ranges

	Hexagon head
	Internal square
	Triangular nut
	Square nut
	Oval-Crimp
	Square nut
	Mandrel pressing
	Double bit
	Internal hexagon
	Scissors cutter
	Phillips PH (cross-recessed)
	Pozidriv PZ (cross-recessed)
	Slotted
	Cutter with bevel
	Cutter without bevel
	Front cutting edge in stripping pliers
	Flat jaws
	Half round jaws
	Square peaks
	TORX®
	Xeno SL/PH
	Xeno SL/PZ

Electro

	Phase display
	Photovoltaic-compatible
	Testing current
	Relative value measurement
	Protection class
	Safety circuit
	Fuse
	Voltage V AC min – max
	Voltage V DC min – max
	Voltage range phase against phase
	Current A AC
	Current A DC
	Current input

Electro

	Temperature measurement
	Overvoltage protection
	UV light
	Contamination level
	Warning
	Resistance (Ω)
	Resistance (text field)
	2 measurement ranges
	Acoustic signal
	Advert
	ATEX approval
	Automatic switch on
	AVG measurement
	Battery type
	Battery status display
	Battery consumption
	Remote voltage test
	Operating temperature
	Battery operation
	Data-HOLD
	Diode test
	Display
	Rotation field indication
	Continuity check
	Continuity check
	Permeability test
	Inherent time
	Single-pole phase test
	eMobility-compatible
	FI-test
	Frequency (Hz)
	Handle diameter
	Background illumination
	Height above sea level
	Integrated flashlight
	Capacity (mF)
	Laser light

	LCD resolution
	LCD range
	LCD precision
	LCD overflow display
	LED ELV display
	LED and signal sound
	Humidity
	Max. input voltage per phase (Lx) against neutral (N)
	Max. tolerated voltage
	Measurement range selection
	Measuring category
	Measuring lines
	Min. measurement
	Rated voltage
	Min. measurement
	Rated voltage
	Optical signal
	Battery capacity
	Operating time with rechargeable battery/ battery set
	Protection class IP
	Protection class IK
	Light level
	Watt/hour (w/h)
	Battery / rechargeable battery removable
	Lighting range (m)
	Dimmable
	Colour temperature
	CRI Color rendering index
	Rechargeable
	Loading time (h)
	Illuminance max (lux)
	Electrical voltage battery (Volt)

TORX®, TORX PLUS®= Registered Trademarks of ACUMENT GlobalTechnologies B.V.
 ACR/AOT, Tri-Wing®, Torq-Set®= Registered Trademarks of Phillips Screw Company
 Pozidriv= Registered Trademark of European Industrial Services Ltd.

Torque

	Hexagon head
	Internal hexagon
	Internal square
	Phillips PH (cross-recessed)
	Pozidriv PZ (cross-recessed)
	Slotted
	TORX®
	TORX PLUS®
	Xeno SL/PZ

Multitools

	Internal hexagon
	Internal square
	Hexagon head
	Innenvierkant
	Phillips PH (cross-recessed)
	Pozidriv PZ (cross-recessed)
	Slotted
	TORX®
	Xenon SL/PZ

L-keys

	Internal hexagon
	TORX®

Bits

	Hexagon head
	Max. torque value [Nm]
	Total length
	Internal hexagon
	Pentalobe PL
	Phillips PH (cross-recessed)
	Pozidriv PZ (cross-recessed)
	Slotted
	TORX®

Mechanical Tools

	Hexagon head
	Internal square
	Internal hexagon
	Phillips PH (cross-recessed)
	Pozidriv PZ (cross-recessed)
	Slotted
	TORX®
	Head diameter
	Head diameter
	Spanner size
	Spanner size
	Surface
	Colour
	Total length

Pliers

	American Wire Gauge
	Max. cross-section / Stripping range
	Max. diameter
	Saw blade length
	Oval-Crimp
	Hexagonal crimping
	Square crimping
	Spring
	Scissors cutter
	Cutter with bevel
	Cutter without bevel
	Front cutting edge in stripping pliers
	Half round jaws
	Max. gripper pipe diameter
	Max. gripper width across flats
	Cutting force
	External retaining ring
	Internal retaining ring

Striking and measuring tools

	Width of segments
	Face diameter
	Colour
	Hammer head width

General symbols

	Packaging unit
	Total length
	Diameter
	Weight g
	SB version
	Total length inch

Legend

General information

	Recommended for electricians – non-insulated
	Expandable and compatible with EVF products
	VDE tested
	ESD tested
	Voltage test
	Cold impact test
	Test of electrical insulation properties
	Pressure test
	Test of the adhesion of the insulating material coating
	Testing the burning behavior
	Tested safety

Ranges

	Case strength
	Wheel-along case
	Case shape
	Automatic air compensation valve
	Recommended by doctors and therapists from the German Campaign for Healthier Backs
	DynamicJoint® - Innovative unique joint design
	Actuating tool for spring clips
	Heavy-duty diagonal cutters with DynamicJoint®
	OptiGrip - Three-point support
	Access to low-lying screws
	1/2 inch
	3/8 inch
	1/4 inch
	Suitable for eMobility
	Plenty of storage space
	Stable stand
	Well organised, easy to remove
	Sturdy, waterproof bottom tray
	Many storage options
	Separate laptop/office compartment

Electro

	LED light
	UV light
	Laser for positioning
	Hands free thanks to retaining clip
	Hands free thanks to magnet
	Recommended by doctors and therapists from the German Campaign for Healthier Backs
	3x faster than manual fastening
	Material protection function switchable 0.4 / 1.0 Nm
	Material protection function 0.4 Nm
	2x faster than manual fastening
	Work safely up to 1,000 V AC
	Electric drive
	Manual screw tightening
	Standard rechargeable battery
	Access to low-lying screws
	Expandable and compatible with EVF products
	Suitable for eMobility
	Automatic switch-off function
	Rotary field measurement (2 test probes)
	Rotary field measurement (3 test probes)
	For testing hybrid and electric vehicles
	Residual current circuit breaker function test
	Very loud signal tone

	Flexible cable
	Millivolt range
	Voltage check despite empty battery possible
	Signal tone that can be switched on and off
	Suitable for testing house photovoltaic systems
	Suitable for testing large-scale photovoltaic systems
	For connector types C and F
	Integrated torch function
	Signal tone
	Effective value specification for AC circuits
	Work safely up to 1,000 V AC
	Optical light signal
	Battery status display
	Hands free thanks to retaining clip
	Compact and space-saving
	Daylight white (6500 K)
	Neutral white light (4000 K)
	Lumen
	Automatic switch-off function
	On/off sensor

Screwdrivers

	Access to low-lying screws
	Recommended by doctors and therapists from the German Campaign for Healthier Backs

Torque

	Precision +-6%
	Precision +-10%
	Access to low-lying screws
	Material protection function
	Actuating tool for spring clips

Multitools

	Quick access
	Compact and space-saving
	Automatic opening
	Double bits
	Recommended by doctors and therapists from the German Campaign for Healthier Backs
	slimTechnology access to low-lying screws
	Actuating tool for spring clips
	Variably adjustable blade length

L-keys

	MagicRing® - Holding function without magnet
	MagicSpring® - Holding function without magnet
	Ball end can swivel up to 25°
	TORX® ball end; can swivel up to 25°
	Visible in UV light
	Quick and easy access
	Compact and space-saving
	Two-component handle
	Continuous blade
	Side drive

Bits

	Suitable for impact screwdrivers
	Lifespan 120 times longer
	Visible in UV light
	Compact and space-saving
	Automatic opening

Mechanical Tools

	Incl. holder
	Fine toothing
	15° angled mouth position - Perfect for confined spaces
	Right/left rotation
	Recommended by doctors and therapists from the German Campaign for Healthier Backs
	1/2 inch
	1/4 inch
	3/8 inch
	4in1
	Reduces the risk of injury
	10° angled
	30° swing-back angle

Striking and measuring tools.

	Optimal weight distribution
	Soft hammer end
	Levers out nail clamps
	Fully encased
	Visible from just 10°
	Recommended by doctors and therapists from the German Campaign for Healthier Backs
	Optimal weight distribution
	No recoil
	Fiberglass-reinforced material

Torque

	Impact protection
	Optimum grip
	Visible in UV light
	Hollow handle - Perfekt balance

Pliers

	Stripping area
	Cutting-to-length diameter
	Length stop
	DynamicJoint® - Innovative unique joint design
	Heavy-duty diagonal cutters with DynamicJoint®
	OptiGrip - Three-point support
	Cutting-to-length, stripping, skinning
	2 functions 1 tool
	2 power stages
	Rotatable by 360°
	Automatic adjustment
	Rust protection
	Work safely up to 1,000 V AC
	Holding function
	Square crimping
	Hex crimping
	8in1
	Opening spring

Environment, climate protection &



Sustainable production



CO2 reduction

resource conservation



Sustainable products



Packaging and presentation systems

Subject to technical changes. All illustrations and graphics, specified dimensions and values and references to standards, e.g. DIN/EN, are non-binding. Any liability claims based on this will therefore be rejected. No liability claims will be accepted for printing errors and mistakes which have occurred during the production of the catalogue. All property rights to the catalogue held by Wiha Werkzeuge GmbH are reserved. The printing or copying of the texts and illustrations contained in this catalogue or its design is prohibited. Our General Terms and Conditions (Terms of Sale, Delivery and Payment) apply. You will find our general terms and conditions at www.wiha.com

Wiha Werkzeuge GmbH**Obertalstraße 3-7**

78136 Schonach/Germany
Phone +49 77 22 959 0
Fax +49 77 22 959 159 Inland
Fax +49 77 22 959 155 Export
info.de@wiha.com
www.wiha.com

Wiha Tools Ltd.

841 Birchwood Boulevard
Warrington
WA3 7QU
Phone +44 15 27575 758
+44 15 27910 986
Fax +44 15 27910 023
info.uk@wiha.com
www.wiha.com/en

Wiha France SARL

Z. A. de Terrefort
33520 Bruges/France
Phone +33 55 6167 935
Fax +33 55 6167 936
servicecommercial@wiha.fr
www.wiha.com/fr

Wiha Nordic A/S

Korskindelund 6
2670 Greve/Denmark
Phone +45 70 238 045
info.nordic@wiha.com
www.wiha.com

WIHA IBERIA / Willi Hahn S.A.

Avda. Sant Julia, 1
Edifici Tilma oficina 17
08400 Granollers / Barcelona /
Spain
Iberia@wiha.com
Tel. +34 93 131 66 18
www.wiha.com/es

Wiha Polska Sp. z o.o.

ul. Budowlanych 10 b
80-298 Gdańsk/Poland
Phone +48 58 7623 830
Fax +48 58 7623 900
info.pl@wiha.com
www.wiha.com/pl

**Wiha in Czech Republic,
Slovakia, Hungary,
Romania and Croatia**

Phone +48 58 7623 830
Fax +48 58 7623 900
michal.moczynski@wiha.com
www.wiha.com

Willi Hahn Corp.

516 7th Street East
Monticello, MN 55362/USA
Phone +1 76 32956 591
Fax +1 76 32956 598
cservice@wihatools.com
www.wihatools.com

Wiha Tools Canada Ltd.

394 Deerhurst Drive
L6T 5H9, Brampton, ON
Phone +1 86 64940 096
Fax +1 80 04947 456
info@wihatools.ca
www.wihatools.ca

Wiha Tools (Shanghai) Co.Ltd.

Room No. 908 - 910, Building 10,
Long 2777, East Jinxiu Road,
Pudong New District Shanghai,
China 201206
Phone +86 21 64401 119
Fax +86 21 64401 112
info.cn@wiha.com.cn
www.wiha.com.cn

Wiha Finland Oy

Mäkituvantie 9
FI-01510 Vantaa Finland
Phone +358 44 231 9988
info.finland@wiha.com
www.wiha.com

Wiha Benelux

Phone +32 469 228 257
Info.benelux@wiha.com
www.wiha.com

Wiha in Italia

Thoelke Rappresentanze Srl
Phone +39 03 32966
039
info.it@wiha.com
www.wiha.com/it

**Premium Tools Australia Pty
Ltd.**

Unit 11, 8-20 Anderson Rd
Smeaton Grange 2567, NSW
Phone +61 02 46841 460
sales@wiha.com.au
www.wiha.com.au

Premium Tools (NZ) Ltd.

Unit 1D, 89 Ellice Rd
Wairau Valley, 0629,
Auckland, New Zealand
Phone +64 09 4442 560
sales@wiha.co.nz
www.wiha.co.nz